YOKOHAMA

SUMMER TYRE CATALOGUE 2025

PCR / SUV / LIGHT COMMERCIAL VEHICLES + ALL SEASON



For information about the EU Tyre Label, tyre labelling data and further technical details, see the corresponding sections inside this catalogue or price list respectively. You can also refer to the YOKOHAMA website www.yokohama.eu (not for country specific product and size availability).

This is YOKOHAMA

The Global Tyre Brand since 1917
The YOKOHAMA Rubber Group is composed of the YOKOHAMA Rubber Co., Ltd. and 143 consolidated subsidiaries, 8 unconsolidated subsidiaries and 36 affiliates around the world.

Original Equipment

YOKOHAMA tyres have been adopted worldwide by car manufacturers with a global reputation and in a wide range of vehicle categories, being the Tyre supplier for premium cars.



The BluEarth Concept

BluEarth. The Product Engineering Philosophy, which focuses on the idea of responsibility towards the Environment and Society constantly.



Our Philosophy, to keep the focus on the responsibility towards the Environment and Society.

The E+ Concept

By displaying the E+ mark, we clearly indicate to customers which products are compatible with electric vehicles so that they are able to choose the right tyre.

The Mark of YOKOHAMA EV Tyres



Truly Global & Environmental

As a responsible acting company, taking care of our planet is part of the overall YOKOHAMA philosophy.




For information about the EU Tyre Label, tyre labelling data and further technical details, see the corresponding sections inside this catalogue or price list respectively. You can also refer to the YOKOHAMA website www.yokohama.eu (not for country specific product and size availability).


YOKOHAMA

YOKOHAMA High Performance Tyres


Summer Tyres



SUV Tyres



All Season Tyres



The availability of products and the special size range offered can vary from country to country.
For detailed Information about the available products and sizes offered in your country, the EU Tyre Label, tyre labeling data and further technical data, please see the corresponding sections in this catalogue or price list respectively or contact your local distributor or dealer. For basic information, you can also refer to the YOKOHAMA website www.yokohama.eu (not for country specific product and size availability).

The EVolved Premium Tyre

ADVAN Sport EV



ADVAN Sport V107

ADVAN Sport V105

ADVAN dB V552

ADVAN FLEVA V701

ADVAN Sport EV

YOKOHAMA

For information about the EU Tyre Label, tyre labelling data and further technical details, see the corresponding sections inside this catalogue or price list respectively. You can also refer to the YOKOHAMA website www.yokohama.eu (not for country specific product and size availability).

High performance summer tyre exclusive for EV



Please see table section for available sizes.

ADVAN Sport EV

The Mark of YOKOHAMA EV Tyres

SILENTFOAM

Renewable Energy supports the production of this tyre.

EU Label Range	
Fuel Efficiency Class	B–C
Wet Grip Class	A–B
External Rolling Noise Class and Measured Value (dB)	A–B 67–71
Series: 55 %–35 %	Inches: 18–22

These values are for the full size range of this product. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: Electric Sedan and SUV


Benefits

- Focus on Electrical range/consumption
- Comfortable ride experience
- Enjoy your drive with a tyre, that was designed with a focus on quietness

Features

- Silent foam, aiming to reduce road noise dramatically
- Proven V107 Pattern Design
- A Special tread compound which was originally developed for premium OE, contributes to extended cruise range

V107 proven and reliable Pattern Design



Exclusively designed polyurethane foam




SILENTFOAM

Exclusively designed polyurethane foam reduces cavity noise* which comes from uneven road surfaces and bumps. This gives a comfortable in-vehicle experience and suppresses noise outside the vehicle.

* The noise, which is transmitted from the wheel rims to the interior of the Car

ADVAN EV Compound



- **Electricity consumption**
  Consumption performance is achieved by uniformly blending Silica with a Silica dispersant.
- **Wet performance**
  The polymer blend and Silica content focus on rolling resistance and wet performance.



GO BEYOND YOURSELF

ADVAN
NEOVA
AD09

For information about the EU Tyre Label, tyre labelling data and further technical details, see the corresponding sections inside this catalogue or price list respectively. You can also refer to the YOKOHAMA website www.yokohama.eu (not for country specific product and size availability).

YOKOHAMA

The Street Tyre for custom-tuned cars



Please see table section for available sizes.

ADVAN NEOVA AD09

EU Label Range	
Fuel Efficiency Class	D
Wet Grip Class	A
External Rolling Noise Class and Measured Value (dB)	B 70–75
Series: 50 %–30 %	Inches: 17 –21

These values are for the full size range of this product. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.


IMPORTANT CARE AND USAGE INSTRUCTIONS FOR ADVAN NEOVA AD09:
This tyre was developed using high performance compounds which become brittle at low temperatures, and therefore should not be used in certain conditions. The tyre thus must be stored or used only at temperatures at or above 14° F (minus 10° C) to maintain performance characteristics and to avoid any damage to the tyres or injury to persons or property.

Application: Club racers, Sport cars, Tuning cars

Benefits
- Dry performance, solid dry grip
- Controllability
- Long lasting circuit wear
- Cool, unique, original NEOVA design

Features
- Asymmetric tread pattern
- Casing rigidity
- Modern-looking side design

The Tread Pattern exclusively for AD09




Control and grip in cornering

Shape of Ground Contact Area






- Uniform ground pressure
- Reduction of ground pressure at the shoulder
- Rounded ground contact area




When cornering

The load is concentrated on the outside ribs when cornering, so it is important to disperse the load. YOKOHAMA technology is aiming for load dispersion, tyre control and tyre life at the same time.

Casing rigidity



Belt rigidity is achieved by two layers in the center part and three layers in the shoulder part.



In the carcass cross-section thickness and a high number of cords support the rigidity.



For information about the EU Tyre Label, tyre labelling data and further technical details, see the corresponding sections inside this catalogue or price list respectively. You can also refer to the YOKOHAMA website www.yokohama.eu (not for country specific product and size availability).

Sporty performance with premium comfort and design

ADVAN Sport V107



Please see table section for available sizes.

EU Label Range	
Fuel Efficiency Class	A–D
Wet Grip Class	A–B
External Rolling Noise Class and Measured Value (dB)	A–B 67–73
Series: 60 %–25 %	Inches: 18 –24

OE
Original Equipment

These values are for the full size range of this product, including Passenger Car & Premium SUV Tyres. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: Ultra-high-performance Sedans & Coupé, EVs and SUVs


Benefits

- Ensuring high levels of reactivity, providing precise steering with driving stability when cornering, even at high speed
- Premium touch, stylish dark design effect on the sidewall
- Solid dry grip and wet braking

Features


- Exclusive Tread Pattern
- Improved Mound Profile
- Matrix Body Ply Structure
- Power Crown Belt Cover

Cutting Edge Technology: V107 Tread Pattern




Matrix Body Ply Structure

Steering precision without compromising comfort. Contributes to performance on DRY, conveying power to the road's surface.



High-rigidity rayon carcass material
Reduces energy loss and deformation, contributes to greater operability.

The V107 structure



Ultra Sport with Luxury



V105S

Please see table section for available sizes.

ADVAN Sport V105

BluEarth

Depend on sizes

OE

Original Equipment

EU Label Range	
Fuel Efficiency Class	B–D
Wet Grip Class	A–C
External Rolling Noise Class and Measured Value (dB)	A–B 69–75
Series: 65 %–25 %	Inches: 16 –23

These values are for the full size range of this product, including Passenger Car & Premium SUV Tyres. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: Premium Cars, High performance cars and SUVs

Benefits

- A perfect balance of sport and comfort
- Solid wet grip and stability
- Grip and high stability during cornering
- OE approved quality

Features

- The YOKOHAMA advanced technologies for sport and comfort
- Born through joint developments with premium high performance car manufacturers

Asymmetric Tread Pattern




VARIABLE WIDTH CIRCUMFERENTIAL GROOVES
Employs wide 3+1 Main Grooves to support hydroplaning resistance at high speeds.


SILENT SIPES
Thin slits, positioned on the inboard of the ribs, to suppress external vehicle noise.

HIGH-RIGIDITY WIDE SHOULDER
To improve pattern rigidity at high speeds and to realise powerful grip on dry surfaces.

ADVAN Sport V105 Special Structure



V105 Matrix Body Ply Construction



Matrix Body Ply Construction

Circumferential rigidity is improved through a double structure, spanning the cover from sidewall to shoulder. The Matrix Body Ply Construction is enhancing the steering precision and supporting the dry grip by maintaining contact with the road surface.

Breathtaking Silence for BEV and PHEV



V552

Please see table section for available sizes.

ADVAN dB V552

EU Label Range	
Fuel Efficiency Class	C
Wet Grip Class	A
External Rolling Noise Class and Measured Value (dB)	A–B 67–71
Series: 60 %–35 %	Inches: 18 –21

OE
Original Equipment


These values are for the full size range of this product. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: Middle and large class Saloons, Minivans and SUVs


Benefits
- Breathtaking Silence
- Comfortable Ride

Features
- Sophisticated Small Block Design
- Redesigned Silent Tyre Structure
- Sidewall Profile Shape
- Shoulder Profile Shape


Sophisticated Small Block Design




Redesigned structure for smooth-running



Shoulder and Sidewall Profile Shape



Redesigned Groove arrangement and Shoulder Shape. Realised smooth contact shape. Preventing uneven wear and aiming to keep silent performance over a longer period.



The Sidewall Profile absorbs various impact forces from road surface and weight of the vehicle. Aiming to reduce the generation of vibration for silent performance.

Giving the pleasure to control

ADVAN FLEVA V701



V701

Please see table section for available sizes.

EU Label Range	
Fuel Efficiency Class	C–D
Wet Grip Class	A
External Rolling Noise Class and Measured Value (dB)	A–B 67–72
Series: 55 %–30 %	Inches: 15–20

These values are for the full size range of this product. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: Lightly-Tuned and Sporty cars as well as Standard sedan and compacts

Benefits

- Cool & Attractive Pattern Design
- Emotional Handling
- Sport Tyre with focus on noise reduction

Features

- Optimisation of steering stability and ground contact
- Claw Grooves
- Wide Sword Grooves
- Lightning-shaped Straight Grooves

A direction pattern offers an attractive and aggressive look



THE MAIN GROOVES
Have more edge components through a lightning-shaped design, supporting traction and hydroplaning resistance herewith.

WIDE SWORD GROOVES
The lug grooves have more edge components. The non-penetrating lug groove increases block stiffness for the direct feeling of handling.

DIRECTIONAL TREAD PATTERN
With more edges facing the road surface, offers an attractive and aggressive look.

THE CLAW GROOVES
Push aside water at corners. The groove design increases effective groove length.

2 in 1 contrasting pitch



Increased tread pattern stiffness realises a more direct feeling to handling. Optimised ground contact area. Aim is to enhance ride quietness.

Sporty Tyre with focus on noise reduction



Non-penetrating lug grooves aim to reduce noise. The blocks increase the stiffness to improve the direct handling and to reduce friction.

Street Legal, Track Ready



A052

Please see table section for available sizes.

ADVAN A052

OE
Original Equipment

EU Label Range	
Fuel Efficiency Class	D
Wet Grip Class	A–C
External Rolling Noise Class and Measured Value (dB)	B 69–75
Series: 60 %–30 %	Inches: 13–20

These values are for the full size range of this product. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: Semi-Slick with racing performance

Benefits
- High sport performance on a dry track
- Powerful cornering capability
- The street-legal tyre complies with European standard for rolling resistance

Features
- Asymmetric, high rigidity tread pattern
- Specially developed Sport Compound

High-rigidity Tread Rib



Straight Thin Groove



Two Straight Grooves



Adapted Mound-Profile



IMPORTANT CARE AND USAGE INSTRUCTIONS FOR ADVAN A052 AND ADVAN NEOVA AD08RS:
The tyres were developed using high performance compounds which become brittle at low temperatures, and therefore should not be used in certain conditions. The tyres thus must be stored or used only at temperatures at or above 14° F (minus 10° C) to maintain performance characteristics and to avoid any damage to the tyres or injury to persons or property.

Gripping Performance



AD08RS

Please see table section for available sizes.

ADVAN NEOVA AD08 RS

EU Label Range	
Fuel Efficiency Class	D
Wet Grip Class	B
External Rolling Noise Class and Measured Value (dB)	B 70–72
Series: 50 %–30 %	Inches: 15–19

These values are for the full size range of this product. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: Street-legal tuning cars and club racers

Benefits
- The fine-tuned compound for sporty feeling and performance
- The street-legal tyre complies with European standard for rolling resistance
- Stability and fast response during high-speed driving

Features
- Sequential Round Groove for long-life grip
- Uni-block Shoulder for rigidity of the tread
- Groove-in-Groove for even wear and stability



Sequential Round Groove Uni-block Shoulder

JUST FOR YOU, URBAN SUV TYRES.



BluEarth-GT AE51

BluEarth-Es ES32

BluEarth-4S AW21

BluEarth-XT AE61

YOKOHAMA

For information about the EU Tyre Label, tyre labelling data and further technical details, see the corresponding sections inside this catalogue or price list respectively. You can also refer to the YOKOHAMA website www.yokohama.eu (not for country specific product and size availability).

Just for You, Urban SUV Tyre

BluEarth-XT AE61



AE61

Please see table section for available sizes.

BluEarth

OE
Original Equipment

EU Label Range	
Fuel Efficiency Class	B–C
Wet Grip Class	A–C
External Rolling Noise Class and Measured Value (dB)	A–B 67–69
Series: 65 %–45 %	Inches: 16–20


These values are for the full size range of this product. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: Urban SUV, Crossover SUV

Benefits
- Handling and steering stability on-road
- Resistance to uneven wear, specially made for SUVs with high centers of gravity
- Solid wet grip

Features
- Asymmetric pattern with optimally designed inside and outside
- nano BLEND rubber compound
- Optimised road contact surface shape

Pattern for Urban SUVs



TRIPLE CENTER RIB
Three high-rigidity ribs for straight-line stability.

POWER INSIDE SHOULDER
The high-rigidity shoulder aims to deliver steering stability and resistance to uneven wear.

INSIDE NARROW GROOVE
Focusses on wet grip performance.

OPTIMISING LUG GROOVE LAYOUT
Aims to reduce Air pumping noise and to dispense the timing of road surface contact.


SILENT EDGE GROOVE
Grooves cut into the inner sides of the ribs, aiming to reduce the pass by noise.

HIGH-RIGIDITY ACTIVE SHOULDER
Non-penetrating grooves and sipes for shoulder stiffness, steering stability and anti-wobble.

FOUR STRAIGHT GROOVES
Supporting wet grip and resistance to aquaplaning.

nano BLEND rubber compound

Includes double Silica and blend polymer.



Silica


Silica that affects wet grip

Polymer that affects wet grip

Polymer that affects wet grip

Optimised road contact surface shape

Smooth road contact surface shape and uniform contact pressure achieve uneven wear resistance and straight-line stability.



Smooth road contact surface shape contributes to uneven wear resistance.

Optimised road contact surface shape length of center area aims to provide straight-line stability.

Grand Touring Spirit

BluEarth-GT AE51



AE51

Please see table section for available sizes.

BluEarth

OE
Original Equipment

EU Label Range	
Fuel Efficiency Class	B–C
Wet Grip Class	A–C
External Rolling Noise Class and Measured Value (dB)	A–B 67–71
Series: 65 %–30 %	Inches: 15–20

These values are for the full size range of this product. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: Grand and Mid Tourers, Luxury Cars, Premium Compact Cars

Benefits

- Driving Stability at highspeed
- Solid wet grip

Features

- High-rigidity, asymmetric pattern for spirited driving
- Advanced Construction achieves both light weight and high durability
- Evolved Compound & honed profile

Asymmetrical Pattern for Spirited Driving

TRIPLE CENTER RIB
Highly rigid triple ribs to ensure straight line stability at high speeds.


BLADE CUT SIPES
Turned rigidity with blade-image sipes.



LIGHTNING GROOVES
Increasing total edge volume, aiming to improve grip performance.


Straight-line Performance

Eliminates Wobble During Lane Changes.



The construction aims to improve the overall balance of performance as well as High-Speed Stability. The result is a sharp steering response.

AE51's construction for Light Weight and Durability



1. Layered Rubber
The two-layer tread compound with an advanced bottom rubber layer, delivers efficiency without adversely affecting the tread's grip performance.

2. Belt Cover
The belt cover firmly holds the tread portion, which must withstand the constant impact with the road surface, to maintain rigidity and straight-line stability.

3. Turn-up Carcass Construction
The tyre's construction – with the carcass tightly wound up to the shoulder to create a two-layer sidewall – achieves both light weight and high rigidity.

4. Bead Fillers
Bead fillers maintain sidewall stiffness. Different types of rubber were developed, component by component, with the goal of improving overall performance.

The Quality Standard Tyre

BluEarth-Es ES32



ES32

Please see table section for available sizes.

OE
Original Equipment

EU Label Range	
Fuel Efficiency Class	A–C
Wet Grip Class	B–C
External Rolling Noise Class and Measured Value (dB)	A–B 67–68
Series: 70 %–40 %	Inches: 13–18

These values are for the full size range of this product. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: Compact cars, Small family cars

Benefits
- Focus on tread life and durability
- Stable driving behavior

Features
- Powerful and comfortable tread design
- 5 Pitch Tread Pattern
- Extra powerful profile
- nano BLEND compound

The powerful and comfortable tread design




5 Pitch Tread Pattern

Designed with focus on pattern noise reduction and anti-uneven wear.



nano BLEND rubber compound

Includes double Silica and blend polymer.



A tough Tyre for Commercial Vehicles

BluEarth-Van RY55



RY55

Please see table section for available sizes.

OE
Original Equipment

EU Label Range	
Fuel Efficiency Class	C
Wet Grip Class	B
External Rolling Noise Class and Measured Value (dB)	B 71–72
Series: 70 %–55 %	Inches: 15–17


These values are for the full size range of this product. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: Transporters, Light Trucks, Cargos, modern Vans and Pick-Ups


Benefits
- Focus on mileage and durability
- Reliable Wet Braking characteristics

Features
- Powerful and tough tread design
- Advanced profile design and tough construction
- Compound developed with triple polymer and Silica
- Kerbing Rib for protecting against sidewall-damage

The powerful and tough tread design



Compound




Triple Polymer
Strong & tough polymers for tread life and resistance to uneven wear.

Silica
Large amount of Silicas are used to support Wet Performance.

Carbon

Contact pressure

Contact shape optimisation and contact pressure homogenisation to improve uneven wear.



Conventional YOKOHAMA Tyre (RY818)


BluEarth-Van RY55

Adventure More.





GEOLANDAR X-MT



GEOLANDAR M/T G003



GEOLANDAR A/T G015

GEOLANDAR A/T 4

For information about the EU Tyre Label, tyre labelling data and further technical details, see the corresponding sections inside this catalogue or price list respectively. You can also refer to the YOKOHAMA website www.yokohama.eu (not for country specific product and size availability).

YOKOHAMA

Adventure more

New



G018

Please see table section for available sizes.

GEOLANDAR A/T4

M+S

max. 180 km/h

Maximum speed
180 km/h in case of S speed symbol
170 km/h in case of R speed symbol
(Speed symbol varies depending on size)

EU Label Range	
Fuel Efficiency Class	E
Wet Grip Class	B
External Rolling Noise Class and Measured Value (dB)	B 75
Series: 85 %–60 %	Inches: 15–18

These values are for the full size range of this product. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: Pick-up and SUV users with Off-road trend


Benefits

- Aggressive tread pattern and side block
- Three-Peak Mountain Snowflake
- Design Focus on Mileage


Features

- Better off-road traction and anti-cut and chipping
- All Season tyre
- Dual side wall

Aggressive Block Tread Pattern




Compound Technology



Compound contributes to longer tread life, aiming to prevent cut & Chipping.

Contact Shape: Balanced off-road traction and Tread Life



Contact Shape
Lug block is firmly grounded

Feature
More Traction & Tread Life

The local regulations for the proper usage of Car Tyres may differ from country to country. Please make sure to check foreign regulations carefully, before going abroad.

Off-road Traction and Extreme Design

GEOLANDAR X-MT

POR M+S

EU Tyre Label does not apply to POR marked tyres.



G005

Please see table section for available sizes.

Application: Extremely tuned Pick-ups & Off-road and dress-up SUVs


Benefits

- Traction on Off-road surfaces
- Traction on slippery surfaces


Features

- Rock Concept Design: the aggressive block pattern contributes to Off-road Traction
- Wide lug Groove and recess in Sipes
- Side Block Design: Tread Design extended to the sidewall, aggressive side block look

Wide Lug Groove and Recess in Sipes



Construction



Nylon Full Cover
A nylon full cover to improve tread area damage.

Extra Thick sidewall and protector
Anti-side cut performance

Side Block Design



The sidewall incorporates larger side blocks which suit the tyres large diameter. In addition to bolstering performance in deep mud and rock, the design boosts the overall Off-road performance. The sidewall also features solid lettering that differs from the normal logo usage for the GEOLANDAR brand which contributes to the Off-road look.

The local regulations for the proper usage of Car Tyres may differ from country to country. Please make sure to check foreign regulations carefully, before going abroad.

Merciless Traction

GEOLANDAR M/T G003

POR M+S

EU Tyre Label does not apply to POR marked tyres.



G003


Please see table section for available sizes.

Application: Mud-Terrain SUVs, 4x4s and Pick-ups

Benefits
- Off-road Traction
- Wear resistance with anti-cut and anti-chipping performance
- Comfortable Off-road Tyre

Features
- Wide tread with aggressive, symmetric block pattern
- Attractive sidewall design through extension of tread design
- High density compound with triple polymer blend

Aggressive Symmetric Block Pattern




Extended tread design to sidewall





- The attractive side design extends from the tread to enhance the deep mud traction and to improve side cut performance.
- For durability and off-road traction.

Nylon Full Cover and Wide Tread Profile



Nylon Full Cover
A nylon full cover to improve tread area damage.

3-Ply construction (LR-E sizes)
To improve anti side cut performance.

The local regulations for the proper usage of Car Tyres may differ from country to country. Please make sure to check foreign regulations carefully, before going abroad.

Go-everywhere performance

GEOLANDAR X-AT

POR M+S

EU Tyre Label does not apply to POR marked tyres.



G016

Please see table section for available sizes.

Application: All-Terrain Pick-up & Off-Road SUVs

Benefits

- Focus on wear performance
- Off-road Traction and durability

Features

- 2 in 1 Aggressive Tread Pattern
- Construction is aiming for Durability
- Compound Technology – High hardness Compound
- Two sidewall designs

2 in 1 Aggressive Tread Pattern




SHOULDER AND CENTER BLOCK
2 different shape shoulders and center block satisfied with Off-road Traction.

SIPE-SHALLOW GROOVE COMBINATION
Sipe-Shallow groove combination contribute Wet and Slippery Surface Traction.

STONE EJECTOR
Not only shoulder grooves but also main grooves have stone ejector.

Compound Technology

Triple Polymer



Compound Structure



High Hardness Compound contributes to Mileage, Anti-cut & Chipping, Handling and Off-road Traction.

Two Sidewall Designs

Protector Design



Lug Design



Two different Sidewall Designs. The Tread Design is extended to the side and into extreme aggressive side blocks. Brand Logos are raised in black letters on the tyre side, with additional GEOLANDAR Logos on 4 points at the shoulder.

The local regulations for the proper usage of Car Tyres may differ from country to country. Please make sure to check foreign regulations carefully, before going abroad.

All-terrain Tyre with advanced technologies

GEOLANDAR A/T G015



G015

Please see table section for available sizes.

M+S

max. 210 km/h

Maximum speed
210 km/h in case of H speed symbol
190 km/h in case of T speed symbol
180 km/h in case of S speed symbol
(Speed symbol varies depending on size)

EU Label Range	
Fuel Efficiency Class	E
Wet Grip Class	C
External Rolling Noise Class and Measured Value (dB)	A–B 70–73
Series: 80 %–45 %	Inches: 15–22

These values are for the full size range of this product. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: SUVs, 4x4s & Pick-ups

Benefits

- Cut and Chipping Resistance
- Aiming for Mileage performance
- Grip on snowy winter roads with Snowflake Mark (3 Peak Mountain Snowflake)

Features

- Tread Pattern Technology with 3-D-shaped Sipes, Optimised Lug Grooves, 4 main grooves and pitch variation
- Nylon Full Cover and Wide Tread Profile
- Aggressive pattern and side design


G015 Tread Pattern

4 DEEP MAIN GROOVES
4 Main Straight Grooves for drainage performance, anti-aquaplaning capabilities and to support wet braking.



OPTIMISED LUG GROOVE
The optimised allocation of the lug grooves help to beat down Off-road surfaces to support traction.

Nylon Full Cover and Wide Tread Profile



Nylon Full Cover
A nylon full cover aims to reduce damage on the tread area for better durability.

Wide Tread Profile
The wide Tread Profile supports mileage, traction and high speed performance.

Aggressive Side Design



The Side Design combines an aggressive appearance with durability. Outlined White Letters on the flank are available for chosen sizes.

The local regulations for the proper usage of Car Tyres may differ from country to country. Please make sure to check foreign regulations carefully, before going abroad.

Comfort and Balance for your SUV

GEOLANDAR X-CV



G057

Please see table section for available sizes.

BluEarth

M+S

OE
Original Equipment

EU Label Range	
Fuel Efficiency Class	B–D
Wet Grip Class	B–C
External Rolling Noise Class and Measured Value (dB)	A–B 69–75
Series: 70 %–35 %	Inches: 18–22

These values are for the full size range of this product. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: Premium and Performance Crossover SUVs

Benefits
- Constructed for mileage performance
- Comfortable ride

Features
- Asymmetric pattern with 4 wide straight grooves
- 2-D & 3-D combination sipes
- 5 Pitch Variation
- Silica end-locked Polymer and Micro Silica

G057 Tread Pattern

ASYMMETRIC PATTERN
The Asymmetric Pattern design supports the traction and handling on wet and dry surfaces.

4 WIDE STRAIGHT GROOVES
Effects Wet and Hydroplaning. For WET.




2-D/3-D COMBINATION SIPES
For traction and Mileage. For WET / Snow.

3-D SIPE

2-D SIPE

Silica end-locked Polymer and Micro Silica



Micro Silica is used to support stability on dry surfaces while Silica end-locked Polymer is focussing on wet performance.

5 Pitch Variation



Noise reduction is the aim of the 5 Pitch Variation pattern design of GEOLANDAR X-CV.

Grand Touring Tyre for Crossover SUVs

GEOLANDAR CV G058



G058

Please see table section for available sizes.

BluEarth

M+S

EU Label Range	
Fuel Efficiency Class	D
Wet Grip Class	B
External Rolling Noise Class and Measured Value (dB)	B 71
Series: 70 % – 50 %	Inches: 16 – 20

These values are for the full size range of this product. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: Crossover SUVs


Benefits

- Constructed for mileage performance
- Comfortable ride


Features

- Advanced Compound Technology – Blend Polymer & Micro Silica
- Sipe based Symmetric Pattern with 4 Combination Main Grooves
- Wide and flat Contact Shape

G058 Tread Pattern




Advanced Compound Technology



Advanced Compound Technology for Silica dispersion.


Profile and Contact Shape

Conventional Model (G055)



Traditional Profile Blocks

GEOLANDAR CV G058



Shoulder and 2nd Rib Round Profile Blocks

A wide and flat contact shape aims to improve even wear and to contribute to a higher Mileage. Traction is supported by round profile blocks for Shoulder and 2nd Rib.

The local regulations for the proper usage of Car Tyres may differ from country to country. Please make sure to check foreign regulations carefully, before going abroad.

Comfort, everywhere you go

GEOLANDAR H/T G056



G056

Please see table section for available sizes.

M+S

OE
Original Equipment

EU Label Range	
Fuel Efficiency Class	C–D
Wet Grip Class	C–D
External Rolling Noise Class and Measured Value (dB)	A–B 70–72
Series: 70 %–50 %	Inches: 17–21

These values are for the full size range of this product. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: New generation SUV and Pick up car tyre

Benefits
- Enjoy lasting comfort in cities, on highways and off-road
- Highway terrain tyre for 4x4 and SUV

Features
- Tread design which aims to improve the pass-by noise
- 5 Pitch Variation to control the frequency peak
- Multiple lug grooves

G056 Tread Pattern




MULTIPLE LUG GROOVES
To support Wet Traction.

4 DEEP MAIN GROOVES
To support drainage on wet surface.

3-D SIPES
To support Dry Performance.

5 PITCH VARIATION
To control the frequency peak in a rolling tyre.

Compound




Blend Polymer
For wear resistance, durability and grip performance.

Silica
To support wet grip while also improving wear resistance.

Carbon
To reinforce the polymer and to increase wear resistance.

Construction



Full Nylon cover is used to thicken the sidewall and to protect the tyre against lift-up of the belt during high speed driving and to prevent tread cracks and side cuts. This has a positive impact on the durability of the tyre.

The Tyre to transcend all Seasons

GEOLANDAR CV 4S



G061

Please see table section for available sizes.

M+S

BluEarth

max. 240 km/h

Maximum speed
240 km/h in case of V speed symbol
210 km/h in case of H speed symbol
190 km/h in case of T speed symbol
(Speed symbol varies depending on size)

EU Label Range	
Fuel Efficiency Class	C
Wet Grip Class	B–C
External Rolling Noise Class and Measured Value (dB)	B 71–73
Series: 70 %–45 %	Inches: 17–20

These values are for the full size range of this product. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: Crossover SUVs,
Performance Crossover SUVs


Benefits

- All Season Tyre
- Design Focus on Snow and Wet Performance

Features

- Asymmetric Tread design based on snow pattern
- Powerful side Design with highlighted logo and black letters
- Nylon Full Cover of the belt for Durability
- Tread Lug Grooves and Sipes for Snow Performance

Asymmetric Pattern Design for WET, SNOW and DRY



INSIDE TREAD
For WET and SNOW Traction.


OUTSIDE TREAD
For DRY Performance.

LUG GROOVES
For WET and SNOW Traction.

3-D-SHAPED SIPES
For WET and SNOW Traction.


4 ZIG-ZAG GROOVES
For Anti-Hydroplaning, WET and SNOW Traction.

Compound Technology



Micro Silica

Improved Silica dispersion



Conventional YOKOHAMA Product

GEOLANDAR CV 4S

The local regulations for the proper usage of Car Tyres may differ from country to country. Please make sure to check foreign regulations carefully, before going abroad.

The One for All Seasons

BluEarth-4S AW21



AW21

Please see table section for available sizes.

M+S

BluEarth

max. 300 km/h

Maximum speed
300 km/h in case of Y speed symbol
270 km/h in case of W speed symbol
240 km/h in case of V speed symbol
210 km/h in case of H speed symbol
190 km/h in case of T speed symbol
(Speed symbol varies depending on size)

EU Label Range	
Fuel Efficiency Class	C–D
Wet Grip Class	B–C
External Rolling Noise Class and Measured Value (dB)	B 70–73
Series: 70 % – 35 %	Inches: 14–22


These values are for the full size range of this product. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: Small and Compact cars, mid-size sedan, modern SUVs & CUVs


Benefits
- Advanced compound for snow, wet and dry
- Grip in winterly conditions (snow)
- Sound braking performance on wet & dry summer roads
- Constructed for mileage performance

Features
- Divergent V-Groove
- Flat & Wide Contour
- Silica End-locked compound


Tread Pattern Design




Compound
for SNOW/WET Performance



Tyre Contour



Large Contact Area



BluEarth-4S AW21 | Conventional YOKOHAMA Winter Tyre

BluEarth-4S AW21
Conventional YOKOHAMA Winter Tyre

The local regulations for the proper usage of Car Tyres may differ from country to country. Please make sure to check foreign regulations carefully, before going abroad.

Strong and Smooth – Whatever the Season

BluEarth-Van All Season RY61



RY61

Please see table section for available sizes.

M+S

BluEarth

max. 210 km/h

Maximum speed
210 km/h in case of H speed symbol
190 km/h in case of T speed symbol
170 km/h in case of R speed symbol
(Speed symbol varies depending on size)

EU Label Range	
Fuel Efficiency Class	C–D
Wet Grip Class	B
External Rolling Noise Class and Measured Value (dB)	B 73
Series: 75 %–55 %	Inches: 15–17

These values are for the full size range of this product. The special size range offered can vary from country to country.
For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Application: Transporters, Light Commercial Vehicles, Cargos and Modern Vans

Benefits

- Constructed for mileage performance
- Strong and smooth drive on various road conditions, all year round
- Focus on Wet Performance

Features

- Remarkable Tread Design
- Compound for toughness
- Construction: Bead Flipper

RY61 Tread Pattern



TOUGH CENTER BLOCKS
Large Blocks placed in the center, creating rigidity and large contact area with ground, preventing irregular wear.

TRIPLE WIDE & DEEP GROOVES
To enhance snow/water evacuation, for Snow and Wet Performance.


STRAIGHT GROOVES
For smooth water drainage.

SQUARE SHOULDER BLOCK
Wide Contact Area for cornering, preventing irregular wear by high rigidity.

SNOW BITING SIPES
Scratch snow for snow performance.

CENTER ZIG-ZAG GROOVE
Creating edges to snow, crossing Wide Lugs creating shear force.

Compound




Triple Polymer
Strong & tough polymers for tread life. Resistance to uneven wear, cut and chip.

Silica
Large amount of Silicas are used to support Wet Performance.

Carbon

Construction



Bead Flipper

For anti-burst

For driving stability

- Aims to prevent wear of bead & carcass in high load
- Keeps bead filler from falling

The local regulations for the proper usage of Car Tyres may differ from country to country. Please make sure to check foreign regulations carefully, before going abroad.

YOKOHAMA A-008P

The A-008P a true Classic



EU Label Range	
Fuel Efficiency Class	D
Wet Grip Class	B
External Rolling Noise Class and Measured Value (dB)	B 70
Series: 55 % – 45 %	Inches: 16

These values are for the full size range of this product. The special size range offered can vary from country to country. For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

A-008P Features

- Jointless nylon full cover
- Steel belt and steel reinforcement
- Dual layer tread compound
- Asymmetric pattern design



G.T.SPECIAL CLASSIC Y350

Reviving the Culture of Classic Cars



EU Label Range	
Fuel Efficiency Class	D
Wet Grip Class	D
External Rolling Noise Class and Measured Value (dB)	A 67
Series: 80 %	Inches: 10 – 15

These values are for the full size range of this product. The special size range offered can vary from country to country. For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

Y350 Features

- Classical tread pattern and side design of the predecessor
- Distinctive, original style
- Classic appearance with latest tyre technologies



A539

Spirit and Style for Classic Cars



EU Label Range	
Fuel Efficiency Class	D
Wet Grip Class	C
External Rolling Noise Class and Measured Value (dB)	B 69
Series: 60 % – 50 %	Inches: 12 – 13

These values are for the full size range of this product. The special size range offered can vary from country to country. For detailed information on the sizes offered and the relevant parameters in your country, please refer to the table section.

A539 Features

- Signature design Pattern for classic cars
- Balanced comfort and performance in wet & dry
- Asymmetric tread pattern for stable cornering



Original Equipment











YOKOHAMA

For information about the EU Tyre Label, Tyre labelling data, Original Equipment and further technical details of our OE Tyres, please see the OE section beneath or refer to the YOKOHAMA website www.yokohama.eu

AUDI

Model	Tyre Description	Tyre Brand Name	C
A6 (C7)	255/35R20 97Y	XL/RF ADVAN Sport V103S AO	C1
	255/40R19 100Y	XL/RF ADVAN Sport V103S AO	C1
		XL/RF ADVAN Sport V103S AOE	C1
A7 (C7)	265/35R20 99Y	XL/RF ADVAN Sport V103S AO	C1
	255/40R19 100Y	XL/RF ADVAN Sport V103S AO	C1
		XL/RF ADVAN Sport V103S AOE	C1
	255/45R18 99Y	ADVAN Sport V103S AO	C1
	235/55R17 99Y	ADVAN Sport V103S AO	C1
S6 (C7)	255/35R20 97Y	XL/RF ADVAN Sport V103S AO	C1
	255/40R19 100Y	XL/RF ADVAN Sport V103S AO	C1
S7 (C7)	265/35R20 99Y	XL/RF ADVAN Sport V103S AO	C1
	255/40R19 100Y	XL/RF ADVAN Sport V103S AO	C1
S8 (D3)	265/35ZR20 99Y	XL/RF ADVAN Sport V103S	C1
RS6 (C7)	275/35ZR20 (102Y)	XL/RF ADVAN Sport V105D RO1	C1
RS7 (C7)	275/35ZR20 (102Y)	XL/RF ADVAN Sport V105D RO1	C1
TTS (TT3)	255/30ZR20 (92Y)	XL/RF ADVAN Sport V105 RO1	C1
TT RS (TT3)	255/30ZR20 (92Y)	XL/RF ADVAN Sport V105 RO1	C1
Q7	275/45R20 110Y	XL/RF ADVAN Sport V103B AO	C1
	265/50R19 110Y	XL/RF ADVAN Sport V103B AO	C1

BMW

Model	Tyre Description	Tyre Brand Name	C
7 series	245/50R19 105Y	XL/RF ADVAN Sport V107E ★	C1
	(F)255/45R20 105Y	XL/RF ADVAN Sport V107E ★ SF	C1
	(R)285/40R20 108Y	XL/RF ADVAN Sport V107E ★	C1
iX3	245/50R19 105W	XL/RF ADVAN Sport V107E ★	C1
	(F)245/45R20 103W	XL/RF ADVAN Sport V107E ★	C1
	(R)275/40R20 106W	XL/RF ADVAN Sport V107E ★	C1
X3	225/60R18 104W	XL/RF ADVAN Sport V107D ★	C1
	245/50R19 105W	XL/RF ADVAN Sport V105 ZPS ★ RSC	C1
X3 MPA	(F)245/45R20 103Y	XL/RF ADVAN Sport V105T ★	C1
	(R)275/40R20 106Y	XL/RF ADVAN Sport V105E ★	C1
X4	225/60R18 104W	XL/RF ADVAN Sport V107D ★	C1
	245/50R19 105W	XL/RF ADVAN Sport V105 ZPS ★ RSC	C1
X4 MPA	(F)245/45R20 103Y	XL/RF ADVAN Sport V105T ★	C1
	(R)275/40R20 106Y	XL/RF ADVAN Sport V105E ★	C1
X5 MPA	(F)275/40R21 107Y	XL/RF ADVAN Sport V107E ★ SF	C1
	(R)315/35R21 111Y	XL/RF ADVAN Sport V107E ★ SF	C1
X6 MPA	(F)275/40R21 107Y	XL/RF ADVAN Sport V107E ★ SF	C1
	(R)315/35R21 111Y	XL/RF ADVAN Sport V107E ★ SF	C1
X7	(F)HL275/35R23 108Y	XL/RF ADVAN Sport V107E ★	C1
	(R)HL315/30R23 111Y	XL/RF ADVAN Sport V107E ★	C1
XM	(F)275/45R21 110Y	XL/RF ADVAN Sport V107E ★	C1
	(R)315/40R21 115Y	XL/RF ADVAN Sport V107E ★	C1
	(F)275/40R22 107Y	XL/RF ADVAN Sport V107E ★	C1
	(R)315/35R22 111Y	XL/RF ADVAN Sport V107E ★	C1
	(F)275/40R22 107Y	XL/RF ADVAN Sport V107E I ★	C1
	(R)315/35R22 111Y	XL/RF ADVAN Sport V107E I ★	C1

BMW M (1/2)

Model	Tyre Description	Tyre Brand Name	C
M2	(F)275/35ZR19 (100Y)	XL/RF ADVAN Sport V107E ★	C1
	(R)285/30ZR20 (99Y)	XL/RF ADVAN Sport V107E ★	C1
M3	(F)285/30ZR20 (99Y)	XL/RF ADVAN Sport V107E I ★	C1
	(R)295/25ZR21 (96Y)	XL/RF ADVAN Sport V107E ★	C1

BMW M (2/2)

Model	Tyre Description	Tyre Brand Name	C
M3	(F)275/35ZR19 (100Y)	XL/RF ADVAN Sport V107E ★	C1
	(R)285/30ZR20 (99Y)	XL/RF ADVAN Sport V107E ★	C1
	(F)275/40ZR18 (103Y)	XL/RF ADVAN Sport V107E ★	C1
	(R)285/35ZR19 (103Y)	XL/RF ADVAN Sport V107E ★	C1
M3 Touring	(F)285/30ZR20 (99Y)	XL/RF ADVAN Sport V107E I ★	C1
	(R)295/25ZR21 (96Y)	XL/RF ADVAN Sport V107E ★	C1
	(F)275/35ZR19 (100Y)	XL/RF ADVAN Sport V107E ★	C1
	(R)285/30ZR20 (99Y)	XL/RF ADVAN Sport V107E ★	C1
M4	(F)285/30ZR20 (99Y)	XL/RF ADVAN Sport V107E I ★	C1
	(R)295/25ZR21 (96Y)	XL/RF ADVAN Sport V107E ★	C1
	(F)275/35ZR19 (100Y)	XL/RF ADVAN Sport V107E ★	C1
	(R)285/30ZR20 (99Y)	XL/RF ADVAN Sport V107E ★	C1
	(F)275/40ZR18 (103Y)	XL/RF ADVAN Sport V107E ★	C1
	(R)285/35ZR19 (103Y)	XL/RF ADVAN Sport V107E ★	C1
M5	(F)275/40ZR19 (105Y)	XL/RF ADVAN Sport V105 ★	C1
	(R)285/40ZR19 (107Y)	XL/RF ADVAN Sport V105E ★	C1

CITROËN

Model	Tyre Description	Tyre Brand Name	C
C4 Aircross	215/70R16 100H	GEOLANDAR G033	C1

FIAT

Model	Tyre Description	Tyre Brand Name	C
124 Spider	195/50R16 84V	ADVAN Sport V105	C1

HONDA

Model	Tyre Description	Tyre Brand Name	C
Accord	225/50R17 98V	XL/RF YOKOHAMA dB E70D	C1
CR-Z	195/55R16 87V	ADVAN A10E	C1
Honda e	(F)185/60R16 86H	BluEarth-A AE50	C1
	(R)205/55R16 91V	BluEarth-A AE50	C1
Insight	185/60R15 84H	BluEarth E50CA	C1
	175/65R15 84T	YOKOHAMA S71B	C1
Jazz	175/65R14 82T	ASPEC A349G	C1
	175/65R15 84T	YOKOHAMA S71A	C1
	185/55R16 87H	XL/RF BluEarth-A AE50	C1
	185/60R15 88H	XL/RF BluEarth-FE AE30	C1
ZR-V	225/55R18 98H	ADVAN dB V552	C1

INFINITI

Model	Tyre Description	Tyre Brand Name	C
Q30/QX30	235/50R18 97V	C.drive2 AC02A	C1

ISUZU

Model	Tyre Description	Tyre Brand Name	C
D-Max	205R16C 110/108S	GEOLANDAR G97A	C2

JEEP

Model	Tyre Description	Tyre Brand Name	C
Cherokee	245/65R17 107H	GEOLANDAR SUV G055	C1

LEXUS

Model	Tyre Description	Tyre Brand Name	C
CT	215/45R17 87W	YOKOHAMA dB E70J	C1
	205/55R16 91V	ADVAN A460J	C1
		YOKOHAMA dB E70J	C1
	195/65R15 91H	ASPEC A349G	C1
ES	215/55R17 93V	YOKOHAMA dB E70B	C1
	215/55R17 94V	BluEarth GT AE51B	C1
GS	225/50R17 94W	ADVAN A10F	C1
		ADVAN A10E	C1
IS	225/45R17 91W	BluEarth E51A/B	C1
LBX	225/55R18 98H	ADVAN V61H	C1
	225/60R17 99H	ADVAN V61H	C1
LX	285/60R18 116V	GEOLANDAR G94BV	C1
	265/65R18 114V	GEOLANDAR A/T G031	C1
	265/50R22 112V	XL/RF GEOLANDAR X-CV G057B	C1
NX	225/60R18 100H	BluEarth E51B	C1
		BluEarth E51A	C1
	235/60R18 103H	BluEarth-XT ZPS EMT AE61E	C1
		BluEarth-XT AE61E	C1
	225/65R17 102H	GEOLANDAR G91AV	C1
RX	235/60R19 103V	ADVAN V61F	C1
RZ	(F)235/60R18 103H	ADVAN V61A	C1
	(R)255/55R18 105V	ADVAN V61A	C1

LOTUS

Model	Tyre Description	Tyre Brand Name	C
Elise (Sport/ Sport 220/ Sprint/ Sprint 220)	(F)195/50R16 84W	ADVAN Sport V105 OE	C1
	(R)225/45R17 91W	ADVAN Sport V105 MO	C1
Elise (Cup 250)	(F)195/50R16 88W	XL/RF ADVAN A052	C1
	(R)225/45R17 94W	XL/RF ADVAN A052	C1

MAZDA (1/2)

Model	Tyre Description	Tyre Brand Name	C
CX-30	215/65R16 98H	BluEarth-GT AE51E	C1
CX-5	225/65R17 102V	GEOLANDAR G98FV	C1
		GEOLANDAR G98GV	C1
CX-60	235/60R18 103V	ADVAN V61B	C1
	235/60R18 107V	XL/RF ADVAN V61E	C1
CX-70	265/55R19 109V	ADVAN V61G	C1
	265/55R19 109V	GEOLANDAR X-CV M+S G057H	C1
CX-8	225/65R17 102H	GEOLANDAR G98GV	C1
CX-9	P255/60R18 107H	GEOLANDAR H/T G056B	C1
CX-90	265/55R19 109V	ADVAN V61G	C1
	265/55R19 109V	GEOLANDAR X-CV M+S G057H	C1

MAZDA (2/2)

Model	Tyre Description	Tyre Brand Name	C
Mazda 2	185/60R14 82H	ASPEC A300	C1
	185/65R15 88T	BluEarth-GT AE51D	C1
Mazda 3	195/65R15 91H	ASPEC A349A	C1
	205/60R16 92V	BluEarth-GT AE51E	C1
MX-5	195/50R16 84V	ADVAN Sport V105	C1

MERCEDES-BENZ (1/2)

Model	Tyre Description	Tyre Brand Name	C
A-Class (W176)	225/45R17 91W	ADVAN Sport V105 MO	C1
	225/45R17 91V	C.drive2 AC02A MO	C1
	205/55R16 91V	C.drive2 AC02A MO	C1
	205/55R16 91H	C.drive2 AC02A MO	C1
B-Class (W246)	225/45R17 91W	ADVAN Sport V105 MO	C1
	225/45R17 91V	C.drive2 AC02A MO	C1
	205/55R16 91V	C.drive2 AC02A MO	C1
	205/55R16 91H	C.drive2 AC02A MO	C1
C-Class (BR205)	225/50R17 94W	ADVAN Sport V105 MO	C1
	(F)225/45R18 95Y	XL/RF ADVAN Sport V105 MO	C1
	(R)245/40R18 97Y	XL/RF ADVAN Sport V105 MO	C1
C-Class (BR204)	(R)245/40R17 91W	ADVAN Sport V105 MO	C1
	225/45R17 91W	ADVAN Sport V103S MO	C1
		ADVAN Sport V105 MO	C1
	205/55R16 91V	ADVAN Sport V103S MO	C1
		ADVAN Sport V105 MO	C1
CLA (C117)	225/45R17 91W	ADVAN Sport V105 MO	C1
CLS (C218)	(R)285/35R18 97Y	ADVAN Sport V105 MO	C1
	255/40R18 99Y	XL/RF ADVAN Sport V105 MO	C1
CLS-Shooting Brake (X218)	(R)285/35R18 97Y	ADVAN Sport V105 MO	C1
	255/40R18 99Y	XL/RF ADVAN Sport V105 MO	C1
G-Class (BR463)	265/60R18 110V	GEOLANDAR H/T G038G	C1
GLA (X156)	235/50R18 97V	C.drive2 AC02A MO	C1
		C.drive2 AC02A ZPS MOE	C1
GLC (X253)	235/55R19 101V	ADVAN Sport V105 MO	C1
	235/60R18 103V	ADVAN Sport V105 MO	C1
S-Class (BR222)	245/50R18 100W	ADVAN Sport V105C MO	C1

AO = Audi Original Designation
AOE = Audi Original Extended (Runflat Tyre Characteristics)
RO1 = Audi quattro specification
★ = BMW specification
I ★ = BMW specification
MO = Mercedes Original
MOE = Mercedes Original Extended (Runflat Tyre Characteristics)
M+S = Mud + Snow (Legal Classification may vary from country to country)
OE = Original Equipment
SF = SILENTFOAM: This polyurethane foam aims to reduce tyre cavity resonance
RSC = Runflat System Component
RF = Reinforced
XL = Extra Load
ZPS = Zero Pressure System (Runflat Tyre Characteristics)
(F) = Front Axle
(R) = Rear Axle
- = Tyre does not bear this pictogram
Category = C1: Passenger car tyres, C2: Light commercial vehicle tyres, C3: Heavy commercial vehicle tyres

See section “Technical Information” about how to read the Tyre Code.
For information about the start and end date of production of these tyres, information about the tyre type identifier and further technical aspects, please refer to the official product information sheet, which can be provided to you by your tyre dealer. A link to the public part of the European product database for Energy Labelling (EPREL), where you can access the product information sheet and the EU tyre label, is also provided via the YOKOHAMA website (www.yokohama.eu).

Fuel Efficiency Class
The fuel efficiency class ranges from A (most efficient) to E (least efficient). A top class tyre has less rolling resistance and therefore requires less energy to move the vehicle. This translates into lower energy costs (fossil fuels or electricity).

Wet Grip Class
The wet grip describes a tyre's performance under wet conditions and its classes ranges as well from A (shorter braking distance on wet asphalt) to E (longest).

External Rolling Noise Class and Measured Value (dB)
The external rolling noise class ranges from A (less noise outside the vehicle) to C (highest noise). The external rolling noise, caused by tyres, is measured in decibels. This noise is different from the “cavity noise”, which is the noise transmitted from the rims to the interior of the car.

Under the new regulation, in addition to the previous tyre label, there are also options for including an icon relating to grip on icy conditions and/or severe snow conditions in the bottom part of the tyre label (next to the external rolling noise pictogram) for tyres which satisfy the minimum snow grip index values or the relevant minimum ice grip index values.

Tyres suitable for severe snow conditions bear the snow grip pictogram (“3 Peak Mountain Snowflake”) or “alpine” symbol that is also present on the sidewall of such tyres. Nordic winter tyres (tyre class C1) for use on iced surfaces will feature a symbol (ice grip pictogram) that represents an ice stalagmite.

Original Equipment











For information about the EU Tyre Label, Tyre labelling data, Original Equipment and further technical details of our OE Tyres, please see the OE section beneath or refer to the YOKOHAMA website www.yokohama.eu

MERCEDES-BENZ (2/2)

Model	Tyre Description		Tyre Brand Name							C
S-Class Coupé (C217)	245/50R18 100W		ADVAN Sport V105C MO	B	A	B	71	-	-	C1
SL (R231)	(R)285/30ZR19 (98Y)	XL/RF	ADVAN Sport V105 MO	D	A	B	74	-	-	C1
	255/35ZR19 (96Y)	XL/RF	ADVAN Sport V105 MO	D	A	B	73	-	-	C1
	(R)285/35R18 97Y		ADVAN Sport V105+ MO	D	A	B	73	-	-	C1
SLC (R172)	225/45R17 91W		ADVAN Sport V105 MO	D	B	B	71	-	-	C1
	(R)245/40R17 91W		ADVAN Sport V105 MO	D	A	B	71	-	-	C1
	225/50R16 92W		ADVAN Sport V105 MO	D	B	B	71	-	-	C1
	225/50R16 92V		ADVAN Sport V105 MO	D	B	B	71	-	-	C1
	205/55R16 91W		ADVAN Sport V105 MO	C	B	B	71	-	-	C1
	205/55R16 91V		ADVAN Sport V105 MO	C	B	B	71	-	-	C1

MERCEDES-AMG

Model	Tyre Description		Tyre Brand Name							C
CLE (BR236)	(F)265/40ZR19 (102Y)	XL/RF	ADVAN Sport V107C MO1	B	A	B	73	-	-	C1
	(R)295/35ZR19 (104Y)	XL/RF	ADVAN Sport V107C MO1	B	A	B	73	-	-	C1
CLS (C257)	(F)245/35ZR20 (95Y)	XL/RF	ADVAN Sport V105 MO	D	A	B	72	-	-	C1
	(R)275/30ZR20 (97Y)	XL/RF	ADVAN Sport V105 MO	D	A	B	73	-	-	C1
	(F)245/40ZR19 (98Y)	XL/RF	ADVAN Sport V105 MO	D	A	B	72	-	-	C1
	(R)275/35ZR19 (100Y)	XL/RF	ADVAN Sport V105 MO	D	A	B	73	-	-	C1
E-Class (BR213)	(F)245/35ZR20 (95Y)	XL/RF	ADVAN Sport V105 MO	D	A	B	72	-	-	C1
	(R)275/30ZR20 (97Y)	XL/RF	ADVAN Sport V105 MO	D	A	B	73	-	-	C1
	(F)245/40ZR19 (98Y)	XL/RF	ADVAN Sport V105 MO	D	A	B	72	-	-	C1
	(R)275/35ZR19 (100Y)	XL/RF	ADVAN Sport V105 MO	D	A	B	73	-	-	C1
E-Class (BR214)	(F)245/45R19 102V	XL/RF	ADVAN WINTER V907 MO1A	C	C	A	68	√	-	C1
	(R)275/40R19 105V	XL/RF	ADVAN WINTER V907 MO1A	C	C	B	73	√	-	C1
EQS (BR297)	275/35R22 104Y	XL/RF	ADVAN Sport V107C MO1 SF	C	A	B	72	-	-	C1
G-Class (W463)	275/50R20 113W	XL/RF	ADVAN S.T. V802 MO	D	B	B	72	-	-	C1
	285/55R18 113V		AVS S/T type-1 V801	D	D	B	74	-	-	C1
GLA (H247)	235/50ZR19 99Y		ADVAN Sport V107F MO1	C	A	B	70	-	-	C1
	255/35ZR21 98Y	XL/RF	ADVAN Sport V107F MO1	D	A	A	70	-	-	C1
GLB (X247)	255/35ZR21 98Y	XL/RF	ADVAN Sport V107F MO1	D	A	A	70	-	-	C1
GLE (W167)	(F)285/40ZR22 110Y	XL/RF	ADVAN Sport V107C MO1	C	A	A	71	-	-	C1
	(R)325/35ZR22 114Y	XL/RF	ADVAN Sport V107D MO1	C	A	A	72	-	-	C1
	275/50ZR20 113Y	XL/RF	ADVAN Sport V107D MO1	C	A	B	72	-	-	C1
GLS (X167)	(F)285/45ZR22 114Y	XL/RF	ADVAN Sport V107C MO1	C	A	A	71	-	-	C1
	(R)325/40ZR22 114Y		ADVAN Sport V107D MO1	C	A	B	72	-	-	C1
ML (W164)	295/40ZR20 106Y		ADVAN Sport V103A MO	D	B	B	74	-	-	C1

MITSUBISHI (1/2)

Model	Tyre Description		Tyre Brand Name							C
ASX	215/60R17 96H		ASPEC A349A	D	C	B	71	-	-	C1
	215/65R16 98H		ASPEC A349A	C	C	B	71	-	-	C1
Eclipse Cross	225/55R18 98H		BluEarth E70BZ	D	B	B	70	-	-	C1
Eclipse Cross PHEV	225/55R18 98H		BluEarth E70CZ	C	B	B	70	-	-	C1
Grandis	215/55R17 94V		ASPEC A349A	D	C	B	71	-	-	C1
Lancer	215/45R18 89W		ADVAN A10A	D	C	B	71	-	-	C1
	205/60R16 92H		ADVAN A460L	D	C	B	71	-	-	C1
Space Star	175/55R15 77V		BluEarth A34LZ	D	B	B	69	-	-	C1
	165/65R14 79S		BluEarth A34LZ	C	C	B	68	-	-	C1

MITSUBISHI (2/2)

Model	Tyre Description		Tyre Brand Name							C
Outlander	235/60R18 103H		GEOLANDAR X-CV G99B	B	B	B	70	-	-	C1
	215/70R16 100H		GEOLANDAR G033	C	B	B	71	-	-	C1
			GEOLANDAR G033V	C	B	B	71	-	-	C1
Outlander PHEV	225/55R18 98H		BluEarth E70BZ	D	B	B	70	-	-	C1
Pajero	265/65R17 112H		GEOLANDAR G902	D	C	B	72	-	-	C1
	265/70R16 112S		GEOLANDAR G039	C	C	B	72	-	-	C1
	235/80R16 109S		GEOLANDAR G039	D	C	B	70	-	-	C1
Pajero Sport	265/70R16 112S		GEOLANDAR G94CV	C	C	B	72	-	-	C1
Triton	265/60R18 110H		GEOLANDAR G94BV	B	C	B	72	-	-	C1

NISSAN

Model	Tyre Description		Tyre Brand Name							C
JUKE	215/55R17 94V		YOKOHAMA dB E70N	D	B	B	70	-	-	C1
	205/60R16 92H		YOKOHAMA dB E70L	D	B	B	70	-	-	C1
Murano	235/55R20 102V		ADVAN Sport V103B	D	B	B	71	-	-	C1
X-Trail	225/65R17 102H		GEOLANDAR G91AV	C	D	B	71	-	-	C1
			GEOLANDAR G98EV	C	C	B	70	-	-	C1
	235/60R18 103H		GEOLANDAR X-CV G99A	B	B	B	69	-	-	C1
370 Z	(F)225/50R18 95W		ADVAN Sport V103E	D	B	B	71	-	-	C1
	(R)245/45R18 96W		ADVAN Sport V103F	D	B	B	71	-	-	C1

PEUGEOT

Model	Tyre Description	Tyre Brand Name					C
4008	215/70R16 100H	GEOLANDAR G033	C	B	B	71	- - C1

PORSCHE (1/2)

Model	Tyre Description		Tyre Brand Name							C
718 Boxster (982)	(F)235/40ZR19 (92Y)		ADVAN Sport V105 N0	D	A	B	71	-	-	C1
	(R)265/40ZR19 (98Y)		ADVAN Sport V105W N0	D	A	B	72	-	-	C1
718 Cayman (982)	(F)235/40ZR19 (92Y)		ADVAN Sport V105 N0	D	A	B	71	-	-	C1
	(R)265/40ZR19 (98Y)		ADVAN Sport V105W N0	D	A	B	72	-	-	C1
911 Carrera (991 II)	(F)235/40ZR19 (92Y)		ADVAN Sport V105 N0	D	A	B	71	-	-	C1
	(R)295/35ZR19 (100Y)		ADVAN Sport V105E N0	D	A	B	74	-	-	C1
911 Carrera 4 (997)	(R)295/35ZR18 (99Y)		ADVAN Sport V103S N-1	D	B	B	74	-	-	C1
Panamera (G1 II)	(F)255/40ZR20 (101Y)	XL/RF	ADVAN Sport V105 N-0	D	A	B	73	-	-	C1
	(R)295/35ZR20 (105Y)	XL/RF	ADVAN Sport V105W N-0	D	A	B	74	-	-	C1
Panamera (G2)	(F)275/40ZR20 (106Y)	XL/RF	ADVAN Sport V105 N0	C	A	A	70	-	-	C1
	(R)315/35ZR20 (110Y)	XL/RF	ADVAN Sport V105W N0	C	A	A	70	-	-	C1
Cayenne (E1)	275/40R20 106Y	XL/RF	ADVAN Sport V103B N-0	D	B	B	73	-	-	C1
	275/45R19 108Y	XL/RF	ADVAN Sport V103B N-0	D	B	B	73	-	-	C1
Cayenne (E1 II)	295/35R21 107Y	XL/RF	ADVAN Sport V103B N-0	D	B	B	74	-	-	C1
	275/40R20 106Y	XL/RF	ADVAN Sport V103B N-0	D	B	B	73	-	-	C1
	275/45R19 108Y	XL/RF	ADVAN Sport V103B N-0	D	B	B	73	-	-	C1
Cayenne (E2)	295/35R21 107Y	XL/RF	ADVAN Sport V103B N-1	D	B	B	74	-	-	C1
	275/45R20 110Y	XL/RF	ADVAN Sport V103H N-0	D	B	B	73	-	-	C1
Cayenne (E2 II)	295/35R21 107Y	XL/RF	ADVAN Sport V105T N-2	D	A	B	74	-	-	C1
	275/45R20 110Y	XL/RF	ADVAN Sport V103H N-0	D	B	B	73	-	-	C1

PORSCHE (2/2)

Model	Tyre Description		Tyre Brand Name							C
Cayenne (E3PA)	(F)285/40ZR22 (110Y)	XL/RF	ADVAN Sport V107D NC0	C	B	A	69	-	-	C1
	(R)315/35ZR22 (111Y)	XL/RF	ADVAN Sport V107D NC0	C	A	A	72	-	-	C1
Cayenne (E3)	(F)285/35ZR22 (106Y)	XL/RF	ADVAN Sport V105 N0	C	A	B	74	-	-	C1
	(R)315/30ZR22 (107Y)	XL/RF	ADVAN Sport V105E N0	C	A	B	73	-	-	C1

RENAULT

Model	Tyre Description		Tyre Brand Name							C
Twingo GT	(F)185/45R17 78H		BluEarth-A AE50	D	C	B	68	-	-	C1
	(R)205/40R17 80H		BluEarth-A AE50	D	C	A	67	-	-	C1

SMART

Model	Tyre Description		Tyre Brand Name							C
fortwo BRABUS (BR453)	(F)185/50R16 81H		BluEarth-A AE50	D	C	B	68	-	-	C1
	(R)205/40R17 80H		BluEarth-A AE50	D	C	A	67	-	-	C1
forfour BRABUS (BR453)	(F)185/45R17 78H		BluEarth-A AE50	D	C	B	68	-	-	C1
	(R)205/40R17 80H		BluEarth-A AE50	D	C	A	67	-	-	C1
forfour BRABUS (BR451)	(F)175/50R16 77T		S.drive AS01 MO	D	C	B	69	-	-	C1
	(R)225/35R17 86Y	XL/RF	S.drive AS01	D	C	B	72	-	-	C1

SUBARU

Model	Tyre Description		Tyre Brand Name							C
BR-Z	205/55R16 91V		YOKOHAMA dB E70JC	D	C	B	70	-	-	C1
Crosstrek	225/60R17 99H		GEOLANDAR G91L	B	B	B	70	-	-	C1
Forester	215/55R17 94V		GEOLANDAR G900A	D	C	B	71	-	-	C1
	225/55R17 97V		GEOLANDAR G95A	C	C	B	71	-	-	C1
	225/60R17 99V		GEOLANDAR G91F	B	C	B	71	-	-	C1
	215/60R16 95V		GEOLANDAR G900	D	C	B	71	-	-	C1
Impreza	225/40R18 92W	XL/RF	ADVAN Sport V105G	D	B	B	72	-	-	C1
		XL/RF	ADVAN Sport V105F	D	B	B	72	-	-	C1
	205/50R17 89V		ADVAN A10E	D	C	B	71	-	-	C1
	205/55R16 89V		ASPEC A349A	C	C	B	71	-	-	C1
	205/55R16 91V		YOKOHAMA dB E70JC	D	C	B	70	-	-	C1
Legacy	215/50R17 91V		ADVAN A10E	C	D	B	71	-	-	C1
Outback	225/55R18 98V		YOKOHAMA dB E70B	D	C	B	70	-	-	C1
	215/55R17 94V		GEOLANDAR G900A	D	C	B	71	-	-	C1
	225/60R17 99V		GEOLANDAR G95A	C	C	B	71	-	-	C1
	225/65R17 102H		GEOLANDAR G98C	B	C	B	71	-	-	C1
Solterra	235/60R18 103H		ADVAN V61A	A	B	A	68	-	-	C1
WRX (STI)	245/35R19 89W		ADVAN Sport V105G	D	B	B	70	-	-	C1
XV	225/55R17 97V		GEOLANDAR G95A	C	C	B	71	-	-	C1
	225/60R17 99H		BluEarth E70GZ	B	C	B	70	-	-	C1

SUZUKI

Model	Tyre Description		Tyre Brand Name							C
Swift	175/65R15 84H		BluEarth AE01J	B	C	B	69	-	-	C1
			BluEarth AE01J	C	C	B	69	-	-	C1
	185/55R16 83V		BluEarth-Es ES32	A	B	A	67	-	-	C1
Swift Sport	195/50R16 84V		ADVAN A13C	D	C	A	66	-	-	C1
Across	235/55R19 101V		AVID GT S35	B	C	B	70	-	-	C1

TOYOTA

Model	Tyre Description		Tyre Brand Name							C
Auris / Corolla	205/55R16 91V		ADVAN A460J	D	C	B	71	-	-	C1
	195/65R15 91H		ASPEC A349G	D	C	B	70	-	-	C1
bZ4X	235/60R18 103H		ADVAN V61A	A	B	A	68	-	-	C1
Camry	215/55R17 93V		YOKOHAMA dB E70B	D	C	B	70	-	-	C1
	215/60R16 95V		YOKOHAMA dB E70B	D	B	B	70	-	-	C1
	215/55R17 94V		BluEarth GT AE51B	C	C	A	67	-	-	C1
	205/65R16 95H		BluEarth GT AE51A	C	C	A	67	-	-	C1
GT86	205/55R16 91V		YOKOHAMA dB E70JC	D	C	B	70	-	-	C1
Hiace	235/65R16C 115/113T		BluEarth-Van RY55A	C	B	A	69	-	-	C2
Land Cruiser 200	285/60R18 116V		GEOLANDAR G94BV	C	C	B	73	-	-	C1
	285/65R17 116H		GEOLANDAR G94B	C	C	B	73	-	-	C1
Land Cruiser 300	265/65R18 114V		GEOLANDAR A/T G31A	C	C	B	72	-	-	C1
Land Cruiser Prado	265/60R20 112H		GEOLANDAR X-CV G057M	B	C	B	72	-	-	C1
	265/65R18 114V		GEOLANDAR A/T G31A	C	C	B	72	-	-	C1
	245/70R18 110H		GEOLANDAR X-CV G057N	B	C	B	69	-	-	C1
Prius	195/60R17 90H		BluEarth-FE AE30D	A	C	A	67	-	-	C1
	195/50R19 88H		BluEarth-GT AE51J	C	A	B	71	-	-	C1
	215/45R17 87W		BluEarth E70WZ	D	C	B	70	-	-	C1
			BluEarth GT AE51G	C	C	A	68	-	-	C1
Prius+	205/60R16 92V		ADVAN dB V551V	C	B	B	71	-	-	C1
RAV 4	235/55R18 100H		GEOLANDAR G91AV	C	D	B	71	-	-	C1
	225/65R17 102H		GEOLANDAR G91AV	C	D	B	71	-	-	C1
	235/55R19 101V		AVID GT S35	B	C	B	70	-	-	C1
Urban Cruiser	195/60R16 89H		YOKOHAMA dB E70E	C	C	B	70	-	-	C1
Yaris	205/45R17 84W		YOKOHAMA dB E70D	D	C	B	70	-	-	C1
	195/50R16 84V		YOKOHAMA dB E70C	D	C	B	70	-	-	C1
Hilux	265/65R17 112S		GEOLANDAR A/T G94CV	B	B	B	72	-	-	C1
			GEOLANDAR A/T G94DV	B	B	B	72	-	-	C1

VOLKSWAGEN

Model	Tyre Description		Tyre Brand Name							C
Touareg	275/40R20 106Y	XL/RF	ADVAN Sport V103B N-0	D	B	B	73	-	-	C1
	275/45R19 108Y	XL/RF	ADVAN Sport V103B N-0	D	B	B	73	-	-	C1

MO = Mercedes Original
MO1 = Mercedes Original
MO1A = Mercedes Original
N0 = Porsche specification
N-0 = Porsche specification
N-1 = Porsche specification
N-2 = Porsche specification
NC0 = Porsche specification
SF = SILENTFOAM: This polyurethane foam aims to reduce tyre cavity resonance

XL = Extra Load
RF = Reinforced
(F) = Front Axle
(R) = Rear Axle
√ = Tyre bears this pictogram
- = Tyre does not bear this pictogram
Category = C1: Passenger car tyres, C2: Light commercial vehicle tyres, C3: Heavy commercial vehicle tyres

See section “Technical Information” about how to read the Tyre Code.
For information about the start and end date of production of these tyres, information about the tyre type identifier and further technical aspects, please refer to the official product information sheet, which can be provided to you by your tyre dealer. A link to the public part of the European product database for Energy Labelling (EPREL), where you can access the product information sheet and the EU tyre label, is also provided via the YOKOHAMA website (www.yokohama.eu).

Fuel Efficiency Class
The fuel efficiency class ranges from A (most efficient) to E (least efficient). A top class tyre has less rolling resistance and therefore requires less energy to move the vehicle. This translates into lower energy costs (fossil fuels or electricity).


Wet Grip Class
The wet grip describes a tyre’s performance under wet conditions and its classes ranges as well from A (shorter braking distance on wet asphalt) to E (longest).

External Rolling Noise Class and Measured Value (dB)
The external rolling noise class ranges from A (less noise outside the vehicle) to C (highest noise). The external rolling noise, caused by tyres, is measured in decibels. This noise is different from the “cavity noise”, which is the noise transmitted from the rims to the interior of the car.

Under the new regulation, in addition to the previous tyre label, there are also options for including an icon relating to grip on icy conditions and/or severe snow conditions in the bottom part of the tyre label (next to the external rolling noise pictogram) for tyres which satisfy the minimum snow grip index values or the relevant minimum ice grip index values.

Tyres suitable for severe snow conditions bear the snow grip pictogram (“3 Peak Mountain Snowflake”) or “alpine” symbol that is also present on the sidewall of such tyres. Nordic winter tyres (tyre class C1) for use on iced surfaces will feature a symbol (ice grip pictogram) that represents an ice stalagmite.

EU Tyre Label



Since 2012 the EU Tyre Energy Label provides a clear and common classification of tyre performance for rolling resistance, braking on wet surfaces and external noise. The labels help consumers make informed decisions when they are buying tyres as they can easily set their priority choice based on the parameters.

Regulation (EC) No 1222/2009 first introduced the obligation of placing car and van tyres on the EU market with a sticker showing the label. That regulation was repealed and replaced by Regulation (EU) 2020/740 with start of application on 1 May 2021. It established a framework for the provision of harmonised information on tyre parameters through labelling to allow end-users to make an informed decision when purchasing tyres, for the purpose of increasing economic and environmental efficiency of road transport by promoting fuel-efficient, safe tyres with low noise levels.

Tyres are no longer allowed in classes F and G for rolling resistance and for wet grip, which is why the new scale has only 5 classes (A to E). The new energy symbols better suggest that the fuel efficiency is applicable to both internal combustion vehicles and to electric ones. In the bottom part, the external rolling noise class is always indicated, including the measured value of external noise level in decibels.


1. QR Code
2. Trade name or trademark of the supplier
3. Tyre type identifier = Article number in case of YOKOHAMA
4. Tyre size designation, load capacity index and speed category symbol
5. Tyre class: i.e. C1, C2 or C3
6. Fuel efficiency pictogram, scale and performance class
7. Wet grip pictogram, scale and performance class
8. External rolling noise pictogram, value (expressed in dB and rounded to the nearest integer) and performance class
9. Snow grip pictogram
10. Ice grip pictogram (C1 tyres only)
11. The serial number of this Regulation: "2020/740"



Fuel Efficiency Class
The fuel efficiency class ranges from A (most efficient) to E (least efficient). A top class tyre has less rolling resistance and therefore requires less energy to move the vehicle. This translates into lower energy costs (fossil fuels or electricity).




Wet Grip Class
The wet grip describes a tyre's performance under wet conditions and its classes ranges as well from A (shorter braking distance on wet asphalt) to E (longest).



External Rolling Noise Class and Measured Value (dB)
The external rolling noise class ranges from A (less noise outside the vehicle) to C (highest noise). The external rolling noise, caused by tyres, is measured in decibels. This noise is different from the "cavity noise", which is the noise transmitted from the rims to the interior of the car.

Under the new regulation, in addition to the previous tyre label, there are also options for including an icon relating to grip on icy conditions and/or severe snow conditions in the bottom part of the tyre label (next to the external rolling noise pictogram) for tyres which satisfy the minimum snow grip index values or the relevant minimum ice grip index values.



Tyres suitable for severe snow conditions bear the snow grip pictogram ("3 Peak Mountain Snowflake") or "alpine" symbol that is also present on the sidewall of such tyres. Nordic winter tyres (tyre class C1) for use on iced surfaces will feature a symbol (ice grip pictogram) that represents an ice stalagmite.

The QR code, to read with a smartphone or other suitable reader, is intended to provide this and additional information for each individual tyre type identifier via a link to the public part of the new European product database for Energy Labelling (EPREL). A link to this database is also provided via the YOKOHAMA website (www.yokohama.eu).
You can also get the information of the database in printed form from your tyre dealer.

Other components of the label are the trade name or the trade mark of the supplier, the tyre type identifier, the tyre size designation, the load-capacity index and the speed category symbol, the tyre class and furthermore the serial number of the regulation (in the bottom part of the tyre label).


For any updates on the above printed version or for information about archived labelling data, please refer to our website www.yokohama.eu

Technical Information / For Your Comfort & Safety

Aspect ratio

The aspect ratio is the ratio of a tyre's section height (H) to its section width (W).

$$\text{Aspect ratio (\%)} = \frac{H}{W} \times 100$$



Speed category symbol

The speed symbol refers to the maximum speed capabilities of the tyre. It is only valid for tyres that are properly inflated and loaded within their assigned load index.

Speed category symbol	Speed (km/h)
N	140
P	150
Q	160
R	170
S	180
T	190
H	210
V	240
W	270
Y	300
(Y)	over 300

Load-capacity index

The load index is the maximum load-carrying capacity of a tyre under a specific condition.

LI	kg
61	257
62	265
63	272
64	280
65	290
66	300
67	307
68	315
69	325
70	335
71	345
72	355
73	365
74	375
75	387
76	400
77	412
78	425
79	437
80	450

LI	kg
81	462
82	475
83	487
84	500
85	515
86	530
87	545
88	560
89	580
90	600
91	615
92	630
93	650
94	670
95	690
96	710
97	730
98	750
99	775
100	800

LI	kg
101	825
102	850
103	875
104	900
105	925
106	950
107	975
108	1000
109	1030
110	1060
111	1090
112	1120
113	1150
114	1180
115	1215
116	1250
117	1285
118	1320
119	1360
120	1400
121	1450
122	1500
123	1550

Reinforced (Extra Load) Indication


Passenger car tyres designed for loads and inflation pressures higher than the standard version.

Tyre rotation

Tyre rotation is the regular practice of changing the position of each tyre on the car to minimise abnormal (or uneven) tread wear, which may cause:

1. Abnormal vibration ("shimmy")
2. Tyre noise
3. Decreased riding comfort
4. Shorter tyre life

Note: We recommend that you rotate your tyres immediately if you recognise any of the above-mentioned conditions (especially on your front tyres).



Tyres suitable for severe snow conditions bear the snow grip pictogram ("3 Peak Mountain Snowflake") or "alpine" symbol that is also present on the sidewall of such tyres. Nordic winter tyres (tyre class C1) for use on iced surfaces will feature a symbol (ice grip pictogram) that represents an ice stalagmite.

Example of ISO notation of radial tyre

325/35ZR22 114Y

① ② ③ ④ ⑤ ⑥

① 325: Nominal section width (mm)
② 35: Aspect ratio (%)
③ ZR: Speed category (over 240 km/h) and construction code (Radial)
④ 22: Nominal rim diameter (inch)
⑤ 114: Load-capacity index (1180 kg)
⑥ Y: Speed category symbol (300 km/h)



How to read the tyre code

1. Manufacturer's Name
2. Tyre Size Designation
3. Brand Name
4. Tread Pattern Name
5. Country of Origin
6. Identification Serial Number
7. "RADIAL" Designation ---The word „RADIAL" is marked for a radial ply tyre.
8. "TUBELESS" Designation ---The word „TUBELESS" must be branded on a tubeless type tyre.
9. YOKOHAMA tyres are marked in accordance with international regulations. So the sidewall is marked with a circle containing an E and the number of the country of homologation. This marking is followed by a multi-digit homologation number. e.g. (E4) 1234567/987654 S2WR2 (4 = Netherlands)
10. DOT Mark ---The symbol certifying compliance with FMVSS respectively.
11. Original Equipment Manufacturer Letters --- The symbol varies according to car manufacturers, and signify approval by these. (e.g. AO mark signifies AUDI, MO Mark signifies MERCEDES, N-0 and N-1 signifies PORSCHE.)

Sample tyre for explanation

- Never mount a tyre on a rim that is damaged or which has been repaired by welding or brazing.
- Never inflate beyond 275 kPa (2.75 bar, 40 psi) to seat beads.
- Tyre inflation should be done in a safety cage.
- Do not mix different tyre size designations or constructions on the same axle, except for limited use of temporary spare tyres.
- Outer diameter of wheel should be the same as inner diameter of tyre.
- Make sure to follow instructions in the car owner's manual or on the vehicle tyre information placard in the car to maintain proper tyre pressure (Particularly driving on a highway and/or when carrying heavy loads).
- Never bleed or reduce air pressure when tyres are hot from driving.
- Over- or under-inflation is dangerous and could lead to accidents or tyre damage.
- Check tyre inflation pressure (including spare tyre) at least once a month and before every long trip.
- Stones, gravel and other foreign objects stuck in the tyre treads may damage the tyre. Remove foreign objects from the tyre treads.
- Tyre should only be mounted by professionally trained persons.
- Objects in the road such as potholes, glass, metal, rocks, wood debris, kerbstones and such, which could damage a tyre should be safely avoided.
- To preserve traffic safety and tyre life, YOKOHAMA recommends driving safely and avoiding hard acceleration, braking or cornering in unnecessary situations.
- If you feel the car is unstable or feel any unusual noises or vibrations, stop your car in a safe place and inspect your tyres. Even if no visible defects are found, drive slowly and ask your tyre dealer to inspect your tyres as soon as possible.

The local regulations for the proper usage of Car Tyres may differ from country to country. Please make sure to check foreign regulations carefully, before going abroad.

To preserve traffic safety, YOKOHAMA recommends driving substantially slower under adverse weather or road conditions.

Fuel saving and road safety depend heavily on the behaviour of drivers and in particular on the following: eco driving can significantly reduce fuel consumption; tyre pressure needs to be regularly checked to optimise fuel efficiency and wet grip; stopping distances must always be respected.

Ice grip tyres are specifically designed for road surfaces covered with ice and compact snow, and should only be used in very severe climate conditions (e.g. cold temperatures). Using ice grip tyres in less severe climate condition (e.g. wet conditions or warmer temperatures) could result in sub-optimal performance, in particular for wet grip, handling and wear.

Never use a tyre under the following conditions and replace tyres immediately:

- If the tread has worn to the tread wear indicator.
- If breaks in the fabric appear.
- If cords or wires are exposed.


Storage of steel belted radial tyres:

- Keep your tyres away from direct sunlight and locations with high temperature, high moisture, heavy electrical machinery, welders etc.
- Tyres should be preferably stored in a cool, dry, and dark room with a controlled environment.

Important notice for use of Runflat tyre (ZPS)

- A vehicle must be equipped with a tyre pressure monitoring system.
- After a low pressure warning has been indicated:
  - do not exceed 80 km/h (50 mph).
  - do not travel more than 80 km (50 miles).
  - do not re-inflate after run flat operation and do not repair.

Tread Wear Indicator



Triangle marks(▲) on the sidewall show the tread groove position of the "tread wear indicators", the "tread wear indicators" represent 1.6 mm of remaining tread depth at which time the tyre should be replaced.


Constructions and specifications are subject to change with or without notice.
For information about the EU Tyre Label, tyre labelling data and further technical details, see the corresponding sections inside this catalogue or price list respectively. You can also refer to the YOKOHAMA website www.yokohama.eu (not for country specific product and size availability).

Technical Information / For Your Comfort & Safety

Aspect ratio

The aspect ratio is the ratio of a tyre's section height (H) to its section width (W).

Aspect ratio (%) = $\frac{H}{W}$ x 100



Load-capacity index

The load index is the maximum load-carrying capacity of a tyre under a specific condition.

LI	kg
61	257
62	265
63	272
64	280
65	290
66	300
67	307
68	315
69	325
70	335
71	345
72	355
73	365
74	375
75	387
76	400
77	412
78	425
79	437
80	450

LI	kg
81	462
82	475
83	487
84	500
85	515
86	530
87	545
88	560
89	580
90	600
91	615
92	630
93	650
94	670
95	690
96	710
97	730
98	750
99	775
100	800

LI	kg
101	825
102	850
103	875
104	900
105	925
106	950
107	975
108	1000
109	1030
110	1060
111	1090
112	1120
113	1150
114	1180
115	1215
116	1250
117	1285
118	1320
119	1360
120	1400
121	1450
122	1500
123	1550

Speed category symbol

The speed symbol refers to the maximum speed capabilities of the tyre. It is only valid for tyres that are properly inflated and loaded within their assigned load index.

Speed category symbol	Speed (km/h)
N	140
P	150
Q	160
R	170
S	180
T	190
H	210
V	240
W	270
Y	300
(Y)	over 300

Reinforced (Extra Load) Indication

Passenger car tyres designed for loads and inflation pressures higher than the standard version.

Tyre rotation

Tyre rotation is the regular practice of changing the position of each tyre on the car to minimise abnormal (or uneven) tread wear, which may cause:

1. Abnormal vibration ("shimmy")
2. Tyre noise
3. Decreased riding comfort
4. Shorter tyre life

Note: We recommend that you rotate your tyres immediately if you recognise any of the above-mentioned conditions (especially on your front tyres).



Tyres suitable for severe snow conditions bear the snow grip pictogram ("3 Peaks Mountain Snowflake") or "alpine" symbol that is also present on the sidewall of such tyres. Nordic winter tyres (tyre class C1) for use on iced surfaces will feature a symbol (ice grip pictogram) that represents an ice stalagmite.

- Never mount a tyre on a rim that is damaged or which has been repaired by welding or brazing.
- Never inflate beyond 275 kPa (2.75 bar, 40 psi) to seat beads.
- Tyre inflation should be done in a safety cage.
- Do not mix different tyre size designations or constructions on the same axle, except for limited use of temporary spare tyres.
- Outer diameter of wheel should be the same as inner diameter of tyre.
- Make sure to follow instructions in the car owner's manual or on the vehicle tyre information placard in the car to maintain proper tyre pressure (Particularly driving on a highway and/or when carrying heavy loads).
- Never bleed or reduce air pressure when tyres are hot from driving.
- Over- or under-inflation is dangerous and could lead to accidents or tyre damage.
- Check tyre inflation pressure (including spare tyre) at least once a month and before every long trip.
- Stones, gravel and other foreign objects stuck in the tyre treads may damage the tyre. Remove foreign objects from the tyre treads.
- Tyre should only be mounted by professionally trained persons.
- Objects in the road such as potholes, glass, metal, rocks, wood debris, kerbstones and such, which could damage a tyre should be safely avoided.
- To preserve traffic safety and tyre life, YOKOHAMA recommends driving safely and avoiding hard acceleration, braking or cornering in unnecessary situations.
- If you feel the car is unstable or feel any unusual noises or vibrations, stop your car in a safe place and inspect your tyres. Even if no visible defects are found, drive slowly and ask your tyre dealer to inspect your tyres as soon as possible.

The local regulations for the proper usage of Car Tyres may differ from country to country. Please make sure to check foreign regulations carefully, before going abroad.

To preserve traffic safety, YOKOHAMA recommends driving substantially slower under adverse weather or road conditions.

Fuel saving and road safety depend heavily on the behaviour of drivers and in particular on the following: eco driving can significantly reduce fuel consumption; tyre pressure needs to be regularly checked to optimise fuel efficiency and wet grip; stopping distances must always be respected.

Ice grip tyres are specifically designed for road surfaces covered with ice and compact snow, and should only be used in very severe climate conditions (e.g. cold temperatures). Using ice grip tyres in less severe climate condition (e.g. wet conditions or warmer temperatures) could result in sub-optimal performance, in particular for wet grip, handling and wear.

Never use a tyre under the following conditions and replace tyres immediately:


- If the tread has worn to the tread wear indicator.
- If breaks in the fabric appear.
- If cords or wires are exposed.

Storage of steel belted radial tyres:

- Keep your tyres away from direct sunlight and locations with high temperature, high moisture, heavy electrical machinery, welders etc.
- Tyres should be preferably stored in a cool, dry, and dark room with a controlled environment.

Important notice for use of Runflat tyre (ZPS)

- A vehicle must be equipped with a tyre pressure monitoring system.
- After a low pressure warning has been indicated:
  - do not exceed 80 km/h (50 mph).
  - do not travel more than 80 km (50 miles).
  - do not re-inflate after run flat operation and do not repair.



Constructions and specifications are subject to change with or without notice.
For information about the EU Tyre Label, tyre labelling data and further technical details, see the corresponding sections inside this catalogue or price list respectively. You can also refer to the YOKOHAMA website www.yokohama.eu (not for country specific product and size availability).

How to read the tyre code



Sample tyre for explanation

1. Manufacturer's Name
2. Tyre Size Designation
3. Brand Name
4. Tread Pattern Name
5. Country of Origin
6. Identification Serial Number
7. "RADIAL" Designation ---The word "RADIAL" is marked for a radial ply tyre.
8. "TUBELESS" Designation ---The word "TUBELESS" must be branded on a tubeless type tyre.
9. YOKOHAMA tyres are marked in accordance with international regulations. So the sidewall is marked with a circle containing an E and the number of the country of homologation. This marking is followed by a multi-digit homologation number. e.g. E4 1234567/987654 S2WR2 (4 = Netherlands)
10. DOT Mark ---The symbol certifying compliance with FMVSS respectively.
11. Original Equipment Manufacturer Letters --- The symbol varies according to car manufacturers, and signify approval by these. (e.g. AO mark signifies AUDI, MO Mark signifies MERCEDES, N-0 and N-1 signifies PORSCHE.)

NOTES

OFFICIAL TYRE PARTNER



ATP TOUR & YOKOHAMA

Break new ground with global Partnership

ATP Tour and YOKOHAMA are proud to announce a new multi-year global partnership, with the premium Japanese tyre manufacturer becoming the ATP Tour's first-ever Official Tyre partner.
Renowned for its fearless commitment to performance, YOKOHAMA will leverage the Tour's year-round platform to bolster its global presence and premium positioning.

For information about the EU Tyre Label, tyre labelling data and further technical details, see the corresponding sections inside this catalogue or price list respectively. You can also refer to the YOKOHAMA website www.yokohama.eu (not for country specific product and size availability).

www.yokohama.eu

PASSENGER CAR EV
Summer

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
ADVAN Sport EV V108																	
45	**18**	235/45ZR18	98	Y	XL/RF	ADVAN Sport EV V108	RPB		B	A	B	70	-	-	C1	-	
55	**19**	225/55ZR19	103	Y	XL/RF	ADVAN Sport EV V108	RPB		B	A	B	70	-	-	C1	-	New
45	**19**	255/45R19	104	Y	XL/RF	ADVAN Sport EV V108	RPB		B	A	B	71	-	-	C1	-	
45	**19**	255/45R19	104	W	XL/RF	ADVAN Sport EV V108	RPB		B	A	B	71	-	-	C1	-	
40	**19**	235/40R19	96	W	XL/RF	ADVAN Sport EV V108	RPB		C	A	B	71	-	-	C1	-	
40	**19**	285/40R19	107	Y	XL/RF	ADVAN Sport EV V108	RPB		B	A	A	71	-	-	C1	-	
45	**20**	245/45R20	103	Y	XL/RF	ADVAN Sport EV V108	RPB		B	B	B	71	-	-	C1	-	
45	**20**	255/45R20	105	Y	XL/RF	ADVAN Sport EV V108	RPB		B	A	A	67	-	-	C1	-	
45	**20**	275/45R20	110	Y	XL/RF	ADVAN Sport EV V108	RPB		B	A	B	71	-	-	C1	-	
40	**20**	255/40ZR20	101	Y	XL/RF	ADVAN Sport EV V108	RPB		B	A	B	71	-	-	C1	-	
40	**20**	255/40R20	101	W	XL/RF	ADVAN Sport EV V108	RPB		B	A	B	71	-	-	C1	-	
35	**20**	235/35ZR20	92	Y	XL/RF	ADVAN Sport EV V108	RPB		C	A	B	70	-	-	C1	-	
35	**20**	245/35ZR20	95	Y	XL/RF	ADVAN Sport EV V108	RPB		C	A	B	71	-	-	C1	-	
35	**20**	295/35ZR20	105	Y	XL/RF	ADVAN Sport EV V108	RPB		B	A	A	71	-	-	C1	-	
35	**21**	255/35ZR21	98	W	XL/RF	ADVAN Sport EV V108	RPB		B	B	A	70	-	-	C1	-	
35	**21**	275/35ZR21	103	W	XL/RF	ADVAN Sport EV V108	RPB		B	A	B	71	-	-	C1	-	
35	**22**	265/35R22	102	Y	XL/RF	ADVAN Sport EV V108	RPB		B	A	B	71	-	-	C1	-	

PASSENGER CAR
Summer

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
ADVAN Sport V107																	
60	**18**	225/60R18	104	W	XL/RF	ADVAN Sport V107		★	A	A	B	72	-	-	C1	-	
50	**18**	225/50R18	99	Y	XL/RF	ADVAN Sport V107	RPB	★	A	B	A	69	-	-	C1	-	
45	**18**	225/45ZR18	95	Y	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
45	**18**	235/45ZR18	98	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
45	**18**	245/45R18	100	Y	XL/RF	ADVAN Sport V107	RPB	★	A	B	B	70	-	-	C1	-	
45	**18**	245/45R18	100	Y	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
45	**18**	255/45R18	103	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
40	**18**	225/40ZR18	92	Y	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
40	**18**	235/40ZR18	95	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
40	**18**	245/40ZR18	97	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
40	**18**	255/40ZR18	99	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
40	**18**	275/40ZR18	103	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
40	**18**	275/40ZR18	103	(Y)	XL/RF	ADVAN Sport V107	RPB	★	D	A	B	71	-	-	C1	-	New
35	**18**	245/35ZR18	92	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
35	**18**	255/35ZR18	94	Y	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
35	**18**	265/35ZR18	97	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
50	**19**	235/50ZR19	99	Y		ADVAN Sport V107	RPB	MO1	C	A	B	70	-	-	C1	-	
50	**19**	245/50R19	105	W	XL/RF	ADVAN Sport V107	RPB	★	A	B	A	69	-	-	C1	-	
50	**19**	245/50R19	105	Y	XL/RF	ADVAN Sport V107	RPB	★	A	B	B	70	-	-	C1	-	
45	**19**	225/45R19	96	Y	XL/RF	ADVAN Sport V107	RPB	★	A	B	A	69	-	-	C1	-	
45	**19**	245/45ZR19	102	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
45	**19**	255/45ZR19	104	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
40	**19**	225/40ZR19	93	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
40	**19**	235/40ZR19	92	(Y)		ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
40	**19**	235/40ZR19	96	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
40	**19**	245/40R19	98	Y	XL/RF	ADVAN Sport V107	RPB	★	A	B	A	69	-	-	C1	-	
40	**19**	245/40ZR19	98	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
40	**19**	255/40ZR19	100	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
40	**19**	265/40ZR19	102	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	

Errors and omissions excepted.

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
40	**19**	265/40ZR19	102	(Y)	XL/RF	ADVAN Sport V107	RPB	MO1	B	A	B	73	-	-	C1	-	New
40	**19**	275/40ZR19	105	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
40	**19**	285/40ZR19	107	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
35	**19**	225/35ZR19	88	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
35	**19**	235/35ZR19	91	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
35	**19**	245/35ZR19	93	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
35	**19**	255/35ZR19	96	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
35	**19**	265/35ZR19	98	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
35	**19**	275/35ZR19	100	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
35	**19**	275/35ZR19	100	Y	XL/RF	ADVAN Sport V107	RPB	★	D	A	A	70	-	-	C1	-	
35	**19**	285/35ZR19	103	(Y)	XL/RF	ADVAN Sport V107	RPB	★	C	A	A	71	-	-	C1	-	
35	**19**	295/35ZR19	104	(Y)	XL/RF	ADVAN Sport V107	RPB	MO1	B	A	B	73	-	-	C1	-	New
30	**19**	255/30ZR19	91	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
30	**19**	285/30ZR19	98	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
55	**20**	235/55R20	105	V	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
50	**20**	275/50ZR20	113	Y	XL/RF	ADVAN Sport V107	RPB	MO1	C	A	B	72	-	-	C1	-	
45	**20**	245/45R20	103	W	XL/RF	ADVAN Sport V107	RPB	★	A	B	A	68	-	-	C1	-	
45	**20**	245/45R20	103	Y	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
45	**20**	255/45R20	105	Y	XL/RF	ADVAN Sport V107	RPB	★	A	A	A	67	-	-	C1	-	
45	**20**	255/45ZR20	105	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
45	**20**	265/45ZR20	108	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
40	**20**	245/40ZR20	99	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
40	**20**	255/40ZR20	101	Y	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
40	**20**	275/40R20	106	W	XL/RF	ADVAN Sport V107	RPB	★	A	B	A	69	-	-	C1	-	
40	**20**	275/40ZR20	106	(Y)	XL/RF	ADVAN Sport V107	RPB		C	A	B	72	-	-	C1	-	
40	**20**	285/40R20	108	Y	XL/RF	ADVAN Sport V107	RPB	★	A	B	A	69	-	-	C1	-	
40	**20**	285/40R20	108	Y	XL/RF	ADVAN Sport V107	RPB		D	A	A	71	-	-	C1	-	
35	**20**	225/35ZR20	90	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
35	**20**	235/35ZR20	92	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
35	**20**	245/35ZR20	91	(Y)		ADVAN Sport V107	RPB		D	A	B	71	-	-	C1	-	
35	**20**	245/35ZR20	95	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	70	-	-	C1	-	
35	**20**	255/35ZR20	97	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
35	**20**	265/35ZR20	99	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
35	**20**	275/35ZR20	102	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
35	**20**	285/35ZR20	104	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
35	**20**	295/35ZR20	101	(Y)		ADVAN Sport V107	RPB		D	A	A	71	-	-	C1	-	
35	**20**	295/35ZR20	105	Y	XL/RF	ADVAN Sport V107	RPB		D	A	A	71	-	-	C1	-	
35	**20**	315/35ZR20	110	(Y)	XL/RF	ADVAN Sport V107	RPB		C	A	A	72	-	-	C1	-	
30	**20**	245/30ZR20	90	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	70	-	-	C1	-	
30	**20**	255/30ZR20	92	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
30	**20**	265/30ZR20	94	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
30	**20**	275/30ZR20	97	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
30	**20**	285/30ZR20	99	(Y)	XL/RF	ADVAN Sport V107	RPB	I★	D	A	A	72	-	-	C1	-	
30	**20**	285/30ZR20	99	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
30	**20**	285/30ZR20	99	Y	XL/RF	ADVAN Sport V107	RPB	★	D	A	A	72	-	-	C1	-	
30	**20**	295/30ZR20	101	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
30	**20**	305/30ZR20	103	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
45	**21**	275/45R21	110	Y	XL/RF	ADVAN Sport V107	RPB	★	D	A	A	69	-	-	C1	-	

LI = Load Index Capacity **SS** = Speed Category Symbol **XL** = Extra Load **RF** = Reinforced **RPB** = Rim Protection Bar YOKOHAMA **OE** = Original Equipment

Category = C1: Passenger car tyres, C2: Light commercial vehicle tyres, C3: Heavy commercial vehicle tyres

M+S = Mud + Snow (Legal Classification may vary from country to country)

★ = BMW specification I★ = BMW specification **MO1** = Mercedes Original

√ = Tyre bears this pictogram, symbol or mark **-** = Tyre does not bear this pictogram, symbol or mark

See page "Technical Information / For your Comfort & Safety" about how to read the tyre code, technical details and recommendations for safe driving.

For information about the start and end date of production of available tyres, information about the tyre type identifier and further technical aspects, please refer to the official product information sheet, which can be provided to you by your tyre dealer. A link to the public part of the European product database for Energy Labelling (EPREL), where you can access the product information sheet and the EU tyre label, is also provided via the YOKOHAMA website (www.yokohama.eu).

Errors and omissions excepted.

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
ADVAN Sport V107																	
40	21	245/40R21	100	Y	XL/RF	ADVAN Sport V107	RPB		D	A	B	70	-	-	C1	-	
		275/40R21	107	Y	XL/RF	ADVAN Sport V107	RPB	★	D	A	A	69	-	-	C1	-	SILENTFOAM
		315/40R21	115	Y	XL/RF	ADVAN Sport V107	RPB	★	D	B	A	70	-	-	C1	-	
35		245/35ZR21	96	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	70	-	-	C1	-	
		255/35ZR21	98	Y	XL/RF	ADVAN Sport V107	RPB	MO1	D	A	A	70	-	-	C1	-	
		275/35ZR21	103	(Y)	XL/RF	ADVAN Sport V107	RPB		C	A	B	72	-	-	C1	-	
		315/35R21	111	Y	XL/RF	ADVAN Sport V107	RPB	★	C	A	A	70	-	-	C1	-	SILENTFOAM
30		275/30ZR21	98	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
		305/30ZR21	104	(Y)	XL/RF	ADVAN Sport V107	RPB		C	A	A	71	-	-	C1	-	
		315/30ZR21	105	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	A	72	-	-	C1	-	
25		295/25ZR21	96	(Y)	XL/RF	ADVAN Sport V107	RPB	★	D	A	A	70	-	-	C1	-	New
45	22	285/45ZR22	114	Y	XL/RF	ADVAN Sport V107	RPB	MO1	C	A	A	71	-	-	C1	-	
40		275/40R22	107	Y	XL/RF	ADVAN Sport V107	RPB	I★	D	A	A	70	-	-	C1	-	
		275/40R22	107	Y	XL/RF	ADVAN Sport V107	RPB	★	C	A	A	69	-	-	C1	-	
		285/40ZR22	110	Y	XL/RF	ADVAN Sport V107	RPB	MO1	C	A	A	71	-	-	C1	-	
		285/40ZR22	110	(Y)	XL/RF	ADVAN Sport V107	RPB	NC0	C	B	A	69	-	-	C1	-	
		325/40ZR22	114	Y		ADVAN Sport V107	RPB	MO1	C	A	B	72	-	-	C1	-	
35		265/35ZR22	102	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
		275/35R22	104	Y	XL/RF	ADVAN Sport V107	RPB	MO1	C	A	B	72	-	-	C1	-	SILENTFOAM
		315/35R22	111	Y	XL/RF	ADVAN Sport V107	RPB	I★	D	B	A	71	-	-	C1	-	
		315/35R22	111	Y	XL/RF	ADVAN Sport V107	RPB	★	C	A	A	72	-	-	C1	-	
		315/35ZR22	111	(Y)	XL/RF	ADVAN Sport V107	RPB	NC0	C	A	A	72	-	-	C1	-	
		325/35ZR22	114	Y	XL/RF	ADVAN Sport V107	RPB	MO1	C	A	A	72	-	-	C1	-	
30		295/30ZR22	103	(Y)	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
40	23	285/40ZR23	111	Y	XL/RF	ADVAN Sport V107	RPB		D	A	B	73	-	-	C1	-	
35		HL275/35R23	108	Y	XL/RF	ADVAN Sport V107	RPB	★	D	A	A	70	-	-	C1	-	
30		HL315/30R23	111	Y	XL/RF	ADVAN Sport V107	RPB	★	D	A	A	71	-	-	C1	-	
ADVAN Sport V105																	
60	16	205/60RF16	92	W		ADVAN Sport V105 ZPS	RPB		D	B	B	70	-	-	C1	-	
55		205/55R16	91	W		ADVAN Sport V105		MO	C	B	B	71	-	-	C1	-	
		205/55R16	91	V		ADVAN Sport V105		MO	C	B	B	71	-	-	C1	-	
		225/55RF16	95	W		ADVAN Sport V105 ZPS	RPB		D	B	B	70	-	-	C1	-	
50		195/50R16	84	W		ADVAN Sport V105	RPB		D	C	B	71	-	-	C1	-	
		225/50R16	92	W		ADVAN Sport V105		MO	D	B	B	71	-	-	C1	-	
		225/50R16	92	V		ADVAN Sport V105		MO	D	B	B	71	-	-	C1	-	
55	17	205/55ZR17	91	Y		ADVAN Sport V105	RPB		D	A	B	71	-	-	C1	-	
		225/55RF17	97	Y		ADVAN Sport V105 ZPS	RPB		D	B	B	70	-	-	C1	-	
		225/55ZR17	101	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		235/55R17	99	Y		ADVAN Sport V105	RPB		D	A	B	71	-	-	C1	-	
50		205/50RF17	89	W		ADVAN Sport V105 ZPS	RPB		D	B	B	70	-	-	C1	-	
		225/50R17	94	W		ADVAN Sport V105		MO	B	B	B	71	-	-	C1	-	
		225/50ZR17	98	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		235/50ZR17	96	Y		ADVAN Sport V105	RPB		D	A	B	71	-	-	C1	-	
45		215/45ZR17	91	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		225/45R17	91	W		ADVAN Sport V105	RPB	MO	D	B	B	71	-	-	C1	-	
		225/45ZR17	94	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		235/45ZR17	97	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		245/45ZR17	99	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
40		245/40R17	91	W		ADVAN Sport V105	RPB	MO	D	A	B	71	-	-	C1	-	
		255/40ZR17	98	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	73	-	-	C1	-	
60	18	235/60R18	103	V		ADVAN Sport V105		MO	B	B	B	71	-	-	C1	-	
		235/60R18	107	W	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
55		235/55R18	100	Y		ADVAN Sport V105	RPB		D	A	B	71	-	-	C1	-	
		255/55R18	109	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	73	-	-	C1	-	
50		235/50ZR18	101	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		245/50R18	100	W		ADVAN Sport V105		MO	B	A	B	71	-	-	C1	-	
		245/50ZR18	104	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
45		225/45R18	95	Y	XL/RF	ADVAN Sport V105	RPB	MO	C	B	B	72	-	-	C1	-	
		225/45RF18	91	Y		ADVAN Sport V105 ZPS	RPB		D	B	B	70	-	-	C1	-	

PASSENGER CAR / SUV
Summer

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
45	18	245/45RF18	96	Y		ADVAN Sport V105 ZPS	RPB		D	B	B	70	-	-	C1	-	
		255/45ZR18	103	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	73	-	-	C1	-	
		275/45ZR18	107	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	73	-	-	C1	-	
40		215/40ZR18	89	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		225/40R18	92	W	XL/RF	ADVAN Sport V105	RPB		D	B	B	72	-	-	C1	-	
		245/40R18	97	Y	XL/RF	ADVAN Sport V105	RPB	MO	C	B	B	72	-	-	C1	-	
		245/40RF18	93	Y		ADVAN Sport V105 ZPS	RPB		D	B	B	70	-	-	C1	-	
		255/40R18	99	Y	XL/RF	ADVAN Sport V105	RPB	MO	D	A	B	73	-	-	C1	-	
		255/40R18	95	Y		ADVAN Sport V105	RPB	MO	D	A	B	72	-	-	C1	-	
		255/40RF18	95	Y		ADVAN Sport V105 ZPS	RPB		D	B	B	70	-	-	C1	-	
		265/40ZR18	101	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	73	-	-	C1	-	
		275/40RF18	99	Y		ADVAN Sport V105 ZPS	RPB		D	B	B	70	-	-	C1	-	
35		275/35ZR18	99	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	73	-	-	C1	-	
		285/35R18	97	Y		ADVAN Sport V105	RPB	MO	D	A	B	73	-	-	C1	-	
65	19	235/65R19	109	V	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
55		235/55R19	101	V		ADVAN Sport V105		MO	C	B	B	71	-	-	C1	-	
		255/55R19	107	Y		ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		265/55R19	109	W		ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		275/55R19	111	W		ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
50		235/50R19	99	W		ADVAN Sport V105	RPB		D	A	B	71	-	-	C1	-	
		245/50R19	105	W	XL/RF	ADVAN Sport V105 ZPS		★	B	A	B	71	-	-	C1	-	
45		225/45ZR19	96	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		235/45ZR19	95	Y		ADVAN Sport V105	RPB		D	A	B	71	-	-	C1	-	
		245/45ZR19	98	Y		ADVAN Sport V105	RPB		D	A	B	71	-	-	C1	-	
		255/45ZR19	100	(Y)		ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
40		225/40RF19	93	Y	XL/RF	ADVAN Sport V105 ZPS	RPB		D	B	B	70	-	-	C1	-	
		235/40ZR19	92	(Y)		ADVAN Sport V105	RPB	N0	D	A	B	71	-	-	C1	-	
		245/40RF19	94	Y		ADVAN Sport V105 ZPS	RPB		D	B	B	70	-	-	C1	-	
		245/40ZR19	98	(Y)	XL/RF	ADVAN Sport V105	RPB	MO	D	A	B	72	-	-	C1	-	
		265/40ZR19	98	(Y)		ADVAN Sport V105	RPB	N0	D	A	B	72	-	-	C1	-	
		275/40ZR19	105	(Y)	XL/RF	ADVAN Sport V105	RPB	★	D	A	B	72	-	-	C1	-	
		285/40ZR19	107	(Y)	XL/RF	ADVAN Sport V105	RPB	★	C	A	B	74	-	-	C1	-	
		285/40ZR19	103	(Y)		ADVAN Sport V105	RPB		D	A	B	73	-	-	C1	-	
35		245/35R19	89	W		ADVAN Sport V105	RPB		D	B	B	70	-	-	C1	-	
		245/35R19	89	W		ADVAN Sport V105	RPB		D	B	B	70	-	-	C1	-	
		255/35RF19	96	Y	XL/RF	ADVAN Sport V105 ZPS	RPB		D	B	A	70	-	-	C1	-	
		255/35ZR19	96	(Y)	XL/RF	ADVAN Sport V105	RPB	MO	D	A	B	73	-	-	C1	-	
		275/35RF19	96	Y		ADVAN Sport V105 ZPS	RPB		D	B	B	70	-	-	C1	-	
		275/35ZR19	100	(Y)	XL/RF	ADVAN Sport V105	RPB	MO	D	A	B	73	-	-	C1	-	
		285/35ZR19	99	(Y)		ADVAN Sport V105	RPB		D	A	B	74	-	-	C1	-	
		295/35ZR19	104	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	75	-	-	C1	-	
		295/35ZR19	100	(Y)		ADVAN Sport V105	RPB	N0	D	A	B	74	-	-	C1	-	
30		245/30ZR19	89	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		255/30ZR19	91	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	73	-	-	C1	-	
		265/30ZR19	93	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	73	-	-	C1	-	
		275/30ZR19	96	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	73	-	-	C1	-	
		285/30ZR19	98	(Y)	XL/RF	ADVAN Sport V105	RPB	MO	D	A	B	74	-	-	C1	-	
		295/30ZR19	100	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	A	72	-	-	C1	-	
		305/30ZR19	102	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	75	-	-	C1	-	

LI = Load Index Capacity **SS** = Speed Category Symbol **XL** = Extra Load **RF** = Reinforced **RPB** = Rim Protection Bar YOKOHAMA **OE** = Original Equipment

Category = C1: Passenger car tyres, C2: Light commercial vehicle tyres, C3: Heavy commercial vehicle tyres

M+S = Mud + Snow (Legal Classification may vary from country to country)

★ = BMW specification I★ = BMW specification **MO** = Mercedes Original **MO1** = Mercedes Original **N0, NC0** = Porsche specification

ZPS = Zero Pressure System (Runflat Tyre Characteristics) **SILENTFOAM** = This polyurethane foam aims to reduce tyre cavity resonance **HL** = High Load Capacity Tyre

√ = Tyre bears this pictogram, symbol or mark - = Tyre does not bear this pictogram, symbol or mark

See page "Technical Information / For your Comfort & Safety" about how to read the tyre code, technical details and recommendations for safe driving.

For information about the start and end date of production of available tyres, information about the tyre type identifier and further technical aspects, please refer to the official product information sheet, which can be provided to you by your tyre dealer. A link to the public part of the European product database for Energy Labelling (EPREL), where you can access the product information sheet and the EU tyre label, is also provided via the YOKOHAMA website (www.yokohama.eu).

ADVAN Sport V105

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
25	19	315/25ZR19	98	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	A	72	-	-	C1	-	
55		235/55R20	102	V		ADVAN Sport V105	RPB		D	A	B	70	-	-	C1	-	
50		265/50R20	111	W	XL/RF	ADVAN Sport V105	RPB		D	A	B	73	-	-	C1	-	
		285/50R20	112	V		ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
45		245/45R20	103	Y	XL/RF	ADVAN Sport V105	RPB	★	D	A	A	69	-	-	C1	-	
		245/45RF20	99	Y		ADVAN Sport V105 ZPS	RPB		D	B	B	70	-	-	C1	-	
		255/45R20	105	W	XL/RF	ADVAN Sport V105	RPB		D	A	B	73	-	-	C1	-	
		265/45R20	108	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	73	-	-	C1	-	
		285/45R20	112	Y	XL/RF	ADVAN Sport V105	RPB		D	A	A	72	-	-	C1	-	
		295/45ZR20	114	W	XL/RF	ADVAN Sport V105	RPB		D	A	A	72	-	-	C1	-	
40		235/40ZR20	96	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		255/40ZR20	101	(Y)	XL/RF	ADVAN Sport V105	RPB	N-0	D	A	B	73	-	-	C1	-	
		265/40ZR20	104	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	73	-	-	C1	-	
		275/40R20	106	Y	XL/RF	ADVAN Sport V105	RPB	★	C	A	B	71	-	-	C1	-	
		275/40R20	106	Y	XL/RF	ADVAN Sport V105 ZPS	RPB		C	B	A	69	-	-	C1	-	
		275/40RF20	102	Y		ADVAN Sport V105 ZPS	RPB		D	B	B	70	-	-	C1	-	
		275/40ZR20	106	(Y)	XL/RF	ADVAN Sport V105	RPB	N0	C	A	A	70	-	-	C1	-	
	20	295/40R20	110	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	75	-	-	C1	-	
35		245/35R20	95	Y	XL/RF	ADVAN Sport V105 ZPS	RPB		C	B	B	71	-	-	C1	-	
		245/35ZR20	95	(Y)	XL/RF	ADVAN Sport V105	RPB	MO	D	A	B	72	-	-	C1	-	
		245/35ZR20	95	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		275/35ZR20	102	(Y)	XL/RF	ADVAN Sport V105	RPB	RO1	D	A	B	73	-	-	C1	-	
		295/35ZR20	105	(Y)	XL/RF	ADVAN Sport V105	RPB	N-0	D	A	B	74	-	-	C1	-	
		315/35R20	110	Y	XL/RF	ADVAN Sport V105 ZPS	RPB		C	B	A	71	-	-	C1	-	
		315/35ZR20	110	(Y)	XL/RF	ADVAN Sport V105	RPB	N0	C	A	A	70	-	-	C1	-	
30		225/30ZR20	85	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		235/30ZR20	88	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		245/30ZR20	90	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		255/30ZR20	92	(Y)	XL/RF	ADVAN Sport V105	RPB	RO1	D	A	B	73	-	-	C1	-	
		275/30R20	97	Y	XL/RF	ADVAN Sport V105 ZPS	RPB		C	B	A	69	-	-	C1	-	
		275/30ZR20	97	(Y)	XL/RF	ADVAN Sport V105	RPB	MO	D	A	B	73	-	-	C1	-	
		285/30ZR20	99	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	A	72	-	-	C1	-	
25		285/25ZR20	93	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	75	-	-	C1	-	
		295/25ZR20	95	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	A	72	-	-	C1	-	
		305/25ZR20	97	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	75	-	-	C1	-	
45		275/45R21	110	W	XL/RF	ADVAN Sport V105	RPB		D	A	B	73	-	-	C1	-	
		285/45R21	113	Y	XL/RF	ADVAN Sport V105	RPB		D	A	A	72	-	-	C1	-	
40		285/40R21	109	Y	XL/RF	ADVAN Sport V105	RPB		D	A	A	72	-	-	C1	-	
		295/40ZR21	111	Y	XL/RF	ADVAN Sport V105	RPB		D	A	A	72	-	-	C1	-	
		315/40R21	111	Y		ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
35	21	245/35ZR21	96	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		255/35ZR21	98	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		295/35R21	107	Y	XL/RF	ADVAN Sport V105	RPB	N-2	D	A	B	74	-	-	C1	-	
30		255/30ZR21	93	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		325/30ZR21	108	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	A	72	-	-	C1	-	
25		295/25ZR21	96	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	A	72	-	-	C1	-	
		305/25ZR21	98	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	A	72	-	-	C1	-	
		325/25ZR21	102	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	A	72	-	-	C1	-	
40	22	275/40R22	108	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		285/40R22	106	Y		ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
35		265/35R22	102	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	73	-	-	C1	-	
		285/35ZR22	106	(Y)	XL/RF	ADVAN Sport V105	RPB	N0	C	A	B	74	-	-	C1	-	
30		265/30ZR22	97	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	B	72	-	-	C1	-	
		295/30R22	103	Y	XL/RF	ADVAN Sport V105	RPB		D	A	B	75	-	-	C1	-	
		315/30ZR22	107	(Y)	XL/RF	ADVAN Sport V105	RPB	N0	C	A	B	73	-	-	C1	-	
25		305/25ZR22	99	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	A	72	-	-	C1	-	
30	23	305/30R23	105	W	XL/RF	ADVAN Sport V105	RPB		D	A	A	72	-	-	C1	-	
25		315/25ZR23	102	(Y)	XL/RF	ADVAN Sport V105	RPB		D	A	A	72	-	-	C1	-	

PASSENGER CAR / SUV
Summer

ADVAN Sport V103

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
55	16	195/55RF16	87	V		ADVAN Sport V103 ZPS	RPB		D	C	B	71	-	-	C1	-	
		205/55R16	91	V		ADVAN Sport V103		MO	D	B	B	71	-	-	C1	-	
		205/55RF16	91	W		ADVAN Sport V103 ZPS	RPB		D	C	B	71	-	-	C1	-	
50		225/50RF16	92	W		ADVAN Sport V103 ZPS	RPB		D	C	B	71	-	-	C1	-	
55	17	235/55R17	99	Y		ADVAN Sport V103	RPB	AO	D	B	B	71	-	-	C1	-	
50		225/50RF17	94	Y		ADVAN Sport V103 ZPS	RPB		D	C	B	71	-	-	C1	-	
45		205/45RF17	84	V		ADVAN Sport V103 ZPS	RPB		D	C	B	71	-	-	C1	-	
		225/45RF17	91	Y		ADVAN Sport V103 ZPS	RPB		D	C	B	71	-	-	C1	-	
		245/45RF17	95	Y		ADVAN Sport V103 ZPS	RPB		D	C	B	71	-	-	C1	-	
40		255/40RF17	94	Y		ADVAN Sport V103 ZPS	RPB		D	C	B	71	-	-	C1	-	
50	18	225/50R18	95	W		ADVAN Sport V103	RPB		D	B	B	71	-	-	C1	-	
		245/50RF18	100	W		ADVAN Sport V103 ZPS	RPB		D	C	B	71	-	-	C1	-	
45		245/45R18	96	W		ADVAN Sport V103	RPB		D	B	B	71	-	-	C1	-	
		255/45R18	99	Y		ADVAN Sport V103	RPB	AO	D	B	B	71	-	-	C1	-	
40		225/40RF18	88	Y		ADVAN Sport V103 ZPS	RPB		D	C	B	71	-	-	C1	-	
		245/40RF18	93	Y		ADVAN Sport V103 ZPS	RPB		D	C	B	71	-	-	C1	-	
35		255/35RF18	90	Y		ADVAN Sport V103 ZPS	RPB		D	C	B	71	-	-	C1	-	
		275/35RF18	95	Y		ADVAN Sport V103 ZPS	RPB		D	C	B	71	-	-	C1	-	
		295/35ZR18	99	Y		ADVAN Sport V103	RPB	N-1	D	B	B	74	-	-	C1	-	
50	19	265/50R19	110	Y	XL/RF	ADVAN Sport V103	RPB	AO	D	B	B	73	-	-	C1	-	New
45		275/45R19	108	Y	XL/RF	ADVAN Sport V103	RPB	N-0	D	B	B	73	-	-	C1	-	New
40		255/40R19	100	Y	XL/RF	ADVAN Sport V103	RPB	AO	D	B	B	72	-	-	C1	-	
		255/40R19	100	Y	XL/RF	ADVAN Sport V103	RPB	AOE	D	B	B	71	-	-	C1	-	
55		235/55R20	102	V		ADVAN Sport V103			D	B	B	71	-	-	C1	-	New
45		275/45R20	110	Y	XL/RF	ADVAN Sport V103	RPB	AO	D	B	B	73	-	-	C1	-	New
		275/45R20	110	Y	XL/RF	ADVAN Sport V103	RPB	N-0	D	B	B	73	-	-	C1	-	New
40	20	275/40R20	106	Y	XL/RF	ADVAN Sport V103	RPB	N-0	D	B	B	73	-	-	C1	-	New
		295/40ZR20	106	Y		ADVAN Sport V103	RPB	MO	D	B	B	74	-	-	C1	-	New
35		255/35R20	97	Y	XL/RF	ADVAN Sport V103	RPB	AO	D	B	B	73	-	-	C1	-	
		265/35R20	99	Y	XL/RF	ADVAN Sport V103	RPB	AO	D	B	B	73	-	-	C1	-	
		265/35ZR20	99	Y	XL/RF	ADVAN Sport V103	RPB		D	B	B	73	-	-	C1	-	
	21	295/35R21	107	Y	XL/RF	ADVAN Sport V103	RPB	N-1	D	B	B	74	-	-	C1	-	New
		295/35R21	107	Y	XL/RF	ADVAN Sport V103	RPB	N-0	D	B	B	74	-	-	C1	-	New

LI = Load Index Capacity **SS** = Speed Category Symbol **XL** = Extra Load **RF** = Reinforced **RPB** = Rim Protection Bar YOKOHAMA **OE** = Original Equipment

Category = C1: Passenger car tyres, C2: Light commercial vehicle tyres, C3: Heavy commercial vehicle tyres

M+S = Mud + Snow (Legal Classification may vary from country to country)

AO = Audi Original Designation **AOE** = Audi Original Extended (Runflat Tyre Characteristics) **★** = BMW specification **MO** = Mercedes Original

N0, N-0, N-1, N-2 = Porsche specification **RO1** = Audi quattro specification

ZPS = Zero Pressure System (Runflat Tyre Characteristics) √ = Tyre bears this pictogram, symbol or mark **-** = Tyre does not bear this pictogram, symbol or mark

See page "Technical Information / For your Comfort & Safety" about how to read the tyre code, technical details and recommendations for safe driving.

For information about the start and end date of production of available tyres, information about the tyre type identifier and further technical aspects, please refer to the official product information sheet, which can be provided to you by your tyre dealer. A link to the public part of the European product database for Energy Labelling (EPREL), where you can access the product information sheet and the EU tyre label, is also provided via the YOKOHAMA website (www.yokohama.eu).

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
ADVAN Sport V107 (SUV)																	
55	19	235/55R19	105	Y	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	71	-	-	C1	-	
		255/55R19	111	Y	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
50		255/50R19	107	Y	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
55	20	255/55R20	110	Y	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
50		255/50R20	109	Y	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
		265/50R20	111	W	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	71	-	-	C1	-	
45		275/45R20	110	Y	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
		285/45R20	112	Y	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	New
40		305/40ZR20	112	(Y)	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
45	21	285/45R21	113	Y	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
40		255/40ZR21	102	(Y)	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
		265/40ZR21	105	(Y)	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
		285/40R21	109	Y	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
		315/40ZR21	115	(Y)	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
35		285/35ZR21	105	(Y)	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
		295/35ZR21	107	(Y)	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
40	22	265/40R22	106	Y	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
		295/40R22	112	Y	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
35		275/35ZR22	104	(Y)	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
		295/35R22	108	Y	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
30		315/30ZR22	107	(Y)	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
35	23	295/35ZR23	108	(Y)	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
		305/35R23	111	Y	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
		325/35ZR23	115	Y	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	A	71	-	-	C1	-	
	24	295/35R24	110	Y	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
30		295/30ZR24	104	(Y)	XL/RF	ADVAN Sport V107 SUV	RPB		D	A	B	73	-	-	C1	-	
ADVAN S.T. (V802)																	
50	20	275/50R20	113	W	XL/RF	ADVAN S.T. V802	RPB	MO	D	B	B	72	-	-	C1	-	
AVS S/T type-1 V801																	
55	18	285/55R18	113	V		AVS S/T type-1 V801			D	D	B	74	-	-	C1	-	
ADVAN dB V552																	
55	18	225/55R18	98	H		ADVAN dB V552	RPB		C	A	A	67	-	-	C1	-	
60	19	235/60R19	103	W		ADVAN dB V552			C	A	B	71	-	-	C1	-	
55		235/55R19	105	W	XL/RF	ADVAN dB V552	RPB		C	A	B	71	-	-	C1	-	
50		255/50R19	107	W	XL/RF	ADVAN dB V552	RPB		C	A	B	71	-	-	C1	-	
40		225/40R19	93	W	XL/RF	ADVAN dB V552	RPB		C	A	A	67	-	-	C1	-	
55	20	235/55R20	102	V		ADVAN dB V552	RPB		C	A	B	71	-	-	C1	-	
50		235/50R20	104	W	XL/RF	ADVAN dB V552	RPB		C	A	B	71	-	-	C1	-	
45		255/45R20	105	Y	XL/RF	ADVAN dB V552	RPB		C	A	B	71	-	-	C1	-	
		275/45R20	110	Y	XL/RF	ADVAN dB V552	RPB		C	A	A	67	-	-	C1	-	
50	21	235/50R21	101	W		ADVAN dB V552	RPB		C	A	B	71	-	-	C1	-	
40		245/40R21	100	Y	XL/RF	ADVAN dB V552	RPB		C	A	B	71	-	-	C1	-	
		255/40R21	102	Y	XL/RF	ADVAN dB V552	RPB		C	A	B	71	-	-	C1	-	
35		275/35R21	103	Y	XL/RF	ADVAN dB V552	RPB		C	A	A	67	-	-	C1	-	
ADVAN A052																	
60	13	185/60R13	80	V		ADVAN A052			D	B	B	69	-	-	C1	-	
		205/60R13	86	V		ADVAN A052			D	C	B	69	-	-	C1	-	
	14	185/60R14	86	V	XL/RF	ADVAN A052			D	B	B	69	-	-	C1	-	
55		185/55R14	80	V		ADVAN A052			D	B	B	69	-	-	C1	-	
	15	195/55R15	89	V	XL/RF	ADVAN A052			D	B	B	71	-	-	C1	-	
50		195/50R15	86	V	XL/RF	ADVAN A052			D	B	B	71	-	-	C1	-	
		205/50R15	89	V	XL/RF	ADVAN A052			D	B	B	71	-	-	C1	-	
		225/50R15	95	V	XL/RF	ADVAN A052			D	B	B	71	-	-	C1	-	

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
55	16	205/55R16	94	W	XL/RF	ADVAN A052			D	A	B	71	-	-	C1	-	
50		195/50R16	88	W	XL/RF	ADVAN A052			D	B	B	71	-	-	C1	-	
		205/50R16	91	W	XL/RF	ADVAN A052			D	A	B	71	-	-	C1	-	
		225/50R16	96	W	XL/RF	ADVAN A052			D	A	B	71	-	-	C1	-	
45		195/45R16	84	W	XL/RF	ADVAN A052			D	B	B	71	-	-	C1	-	
		225/45R16	93	W	XL/RF	ADVAN A052			D	A	B	71	-	-	C1	-	
		245/45R16	94	W		ADVAN A052			D	B	B	71	-	-	C1	-	
45	17	205/45R17	88	W	XL/RF	ADVAN A052			D	A	B	71	-	-	C1	-	
		215/45R17	91	W	XL/RF	ADVAN A052			D	A	B	71	-	-	C1	-	
		225/45R17	94	W	XL/RF	ADVAN A052			D	A	B	71	-	-	C1	-	
		235/45R17	97	W	XL/RF	ADVAN A052			D	A	B	71	-	-	C1	-	
40		205/40R17	84	W	XL/RF	ADVAN A052			D	B	B	71	-	-	C1	-	
		215/40R17	87	W	XL/RF	ADVAN A052			D	B	B	71	-	-	C1	-	
		245/40R17	95	W	XL/RF	ADVAN A052			D	B	B	71	-	-	C1	-	
		255/40R17	98	W	XL/RF	ADVAN A052			D	A	B	73	-	-	C1	-	
45	18	235/45R18	98	Y	XL/RF	ADVAN A052			D	B	B	71	-	-	C1	-	
		265/45R18	104	Y	XL/RF	ADVAN A052			D	B	B	73	-	-	C1	-	
40		225/40R18	92	Y	XL/RF	ADVAN A052			D	A	B	71	-	-	C1	-	
		235/40R18	95	Y	XL/RF	ADVAN A052			D	A	B	71	-	-	C1	-	
		245/40R18	97	Y	XL/RF	ADVAN A052			D	A	B	71	-	-	C1	-	
		255/40R18	99	Y	XL/RF	ADVAN A052			D	A	B	73	-	-	C1	-	
		265/40R18	101	Y	XL/RF	ADVAN A052			D	A	B	73	-	-	C1	-	
		275/40R18	103	Y	XL/RF	ADVAN A052			D	B	B	73	-	-	C1	-	
35		225/35R18	87	Y	XL/RF	ADVAN A052			D	B	B	71	-	-	C1	-	
		255/35R18	94	Y	XL/RF	ADVAN A052			D	A	B	73	-	-	C1	-	
		265/35R18	97	Y	XL/RF	ADVAN A052			D	A	B	73	-	-	C1	-	
		295/35R18	103	Y	XL/RF	ADVAN A052			D	A	B	73	-	-	C1	-	
30		295/30R18	98	Y	XL/RF	ADVAN A052			D	A	B	73	-	-	C1	-	
		315/30R18	98	Y		ADVAN A052			D	A	B	73	-	-	C1	-	
40	19	235/40ZR19	96	(Y)	XL/RF	ADVAN A052			D	B	B	71	-	-	C1	-	
		265/40ZR19	102	(Y)	XL/RF	ADVAN A052			D	B	B	73	-	-	C1	-	
35		235/35ZR19	91	(Y)	XL/RF	ADVAN A052			D	B	B	72	-	-	C1	-	
		245/35ZR19	93	(Y)	XL/RF	ADVAN A052			D	B	B	71	-	-	C1	-	
		255/35ZR19	96	(Y)	XL/RF	ADVAN A052			D	B	B	73	-	-	C1	-	
		265/35ZR19	98	(Y)	XL/RF	ADVAN A052			D	B	B	73	-	-	C1	-	
		275/35ZR19	100	(Y)	XL/RF	ADVAN A052			D	B	B	73	-	-	C1	-	
		285/35R19	103	Y	XL/RF	ADVAN A052			D	B	B	75	-	-	C1	-	New
		295/35R19	104	Y	XL/RF	ADVAN A052			D	B	B	73	-	-	C1	-	
		305/35R19	106	Y	XL/RF	ADVAN A052			D	B	B	75	-	-	C1	-	New
30		265/30ZR19	93	(Y)	XL/RF	ADVAN A052			D	B	B	73	-	-	C1	-	
		295/30R19	100	Y	XL/RF	ADVAN A052			D	B	B	75	-	-	C1	-	New
		305/30R19	102	Y	XL/RF	ADVAN A052			D	B	B	75	-	-	C1	-	New
		325/30R19	105	Y	XL/RF	ADVAN A052			D	B	B	75	-	-	C1	-	New
40	20	255/40ZR20	101	(Y)	XL/RF	ADVAN A052			D	B	B	73	-	-	C1	-	
35		235/35ZR20	92	(Y)	XL/RF	ADVAN A052			D	B	B	72	-	-	C1	-	
		245/35ZR20	95	(Y)	XL/RF	ADVAN A052			D	B	B	71	-	-	C1	-	
		265/35ZR20	99	(Y)	XL/RF	ADVAN A052			D	B	B	73	-	-	C1	-	
		285/35ZR20	104	(Y)	XL/RF	ADVAN A052			D	B	B	73	-	-	C1	-	

LI = Load Index Capacity **SS** = Speed Category Symbol **XL** = Extra Load **RF** = Reinforced **RPB** = Rim Protection Bar YOKOHAMA **OE** = Original Equipment

Category = C1: Passenger car tyres, C2: Light commercial vehicle tyres, C3: Heavy commercial vehicle tyres

M+S = Mud + Snow (Legal Classification may vary from country to country)

MO = Mercedes Original √ = Tyre bears this pictogram, symbol or mark - = Tyre does not bear this pictogram, symbol or mark

See page "Technical Information / For your Comfort & Safety" about how to read the tyre code, technical details and recommendations for safe driving.

For information about the start and end date of production of available tyres, information about the tyre type identifier and further technical aspects, please refer to the official product information sheet, which can be provided to you by your tyre dealer. A link to the public part of the European product database for Energy Labelling (EPREL), where you can access the product information sheet and the EU tyre label, is also provided via the YOKOHAMA website (www.yokohama.eu).

Errors and omissions excepted.

Errors and omissions excepted.

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
ADVAN A052																	
30	**20**	245/30ZR20	90	(Y)	XL/RF	ADVAN A052			D	B	B	71	-	-	C1	-	
		265/30ZR20	94	(Y)	XL/RF	ADVAN A052			D	B	B	73	-	-	C1	-	
		285/30R20	99	Y	XL/RF	ADVAN A052			D	B	B	75	-	-	C1	-	New
		295/30R20	101	Y	XL/RF	ADVAN A052			D	B	B	73	-	-	C1	-	
		305/30R20	103	Y	XL/RF	ADVAN A052			D	B	B	75	-	-	C1	-	New
ADVAN FLEVA V701																	
55	**15**	205/55R15	88	V		ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
50		195/50R15	82	V		ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
55	**16**	205/55R16	91	W		ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
50		205/50R16	87	V		ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
		225/50R16	92	W		ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
45		195/45R16	84	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
		205/45R16	87	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
		215/45R16	90	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
55	**17**	215/55R17	94	W		ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
		225/55R17	97	W		ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
50		205/50R17	93	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
		225/50R17	98	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
45		195/45R17	85	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
		205/45R17	88	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
		215/45R17	91	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
		225/45R17	94	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
		235/45R17	97	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
40		195/40R17	81	W	XL/RF	ADVAN FLEVA V701	RPB		D	A	A	67	-	-	C1	-	
		205/40R17	84	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
		215/40R17	87	W	XL/RF	ADVAN FLEVA V701	RPB		D	A	A	67	-	-	C1	-	
		235/40R17	90	W		ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
		245/40R17	95	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	68	-	-	C1	-	
		255/40R17	94	W		ADVAN FLEVA V701	RPB		C	A	A	69	-	-	C1	-	
50	**18**	225/50R18	99	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	68	-	-	C1	-	
45		215/45R18	93	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
		225/45R18	95	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
40		205/40R18	86	W	XL/RF	ADVAN FLEVA V701	RPB		D	A	A	67	-	-	C1	-	
		225/40R18	92	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
		235/40R18	95	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
		245/40R18	97	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	68	-	-	C1	-	
35		215/35R18	84	W	XL/RF	ADVAN FLEVA V701	RPB		D	A	A	67	-	-	C1	-	
		225/35R18	87	W	XL/RF	ADVAN FLEVA V701	RPB		D	A	A	67	-	-	C1	-	
		245/35R18	92	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	69	-	-	C1	-	
		255/35R18	94	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	69	-	-	C1	-	
45	**19**	225/45R19	96	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
		235/45R19	95	W		ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
40		225/40R19	93	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
		245/40R19	98	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	69	-	-	C1	-	
		275/40R19	105	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	B	72	-	-	C1	-	
35		225/35R19	88	W	XL/RF	ADVAN FLEVA V701	RPB		D	A	A	67	-	-	C1	-	
		235/35R19	91	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
		245/35R19	93	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	69	-	-	C1	-	
		255/35R19	96	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	69	-	-	C1	-	
		275/35R19	100	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	B	72	-	-	C1	-	
30		255/30R19	91	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	69	-	-	C1	-	
		265/30R19	93	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	69	-	-	C1	-	
40	**20**	245/40R20	99	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	69	-	-	C1	-	
35		225/35R20	90	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	67	-	-	C1	-	
		275/35R20	102	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	B	72	-	-	C1	-	
30		255/30R20	92	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	69	-	-	C1	-	
		275/30R20	97	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	B	72	-	-	C1	-	
		285/30R20	99	W	XL/RF	ADVAN FLEVA V701	RPB		C	A	A	72	-	-	C1	-	

Errors and omissions excepted.

PASSENGER CAR
Summer

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
S.drive (AS01)																	
50	**16**	175/50R16	77	T		S.drive AS01	RPB	MO	D	C	B	69	-	-	C1	-	
35	**17**	225/35R17	86	Y	XL/RF	S.drive AS01	RPB		D	C	B	72	-	-	C1	-	
ADVAN NEOVA AD09																	
45	**17**	255/45R17	102	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	71	-	-	C1	-	
40		255/40R17	98	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	71	-	-	C1	-	
50	**18**	245/50R18	104	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	70	-	-	C1	-	
45		225/45R18	95	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	70	-	-	C1	-	
		245/45R18	100	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	70	-	-	C1	-	
40		245/40R18	97	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	70	-	-	C1	-	
		255/40R18	99	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	71	-	-	C1	-	
		265/40R18	101	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	71	-	-	C1	-	
		275/40R18	103	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	71	-	-	C1	-	
35		265/35R18	97	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	71	-	-	C1	-	
		295/35R18	103	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	74	-	-	C1	-	
30		285/30R18	97	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	74	-	-	C1	-	
		295/30R18	98	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	74	-	-	C1	-	
40	**19**	235/40R19	96	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	70	-	-	C1	-	
		245/40R19	98	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	70	-	-	C1	-	
		255/40R19	100	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	71	-	-	C1	-	
		275/40R19	105	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	71	-	-	C1	-	
35		255/35R19	96	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	71	-	-	C1	-	
		265/35R19	98	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	71	-	-	C1	-	
		275/35R19	100	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	71	-	-	C1	-	
		285/35R19	103	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	74	-	-	C1	-	
30		275/30R19	96	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	71	-	-	C1	-	
		295/30R19	100	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	74	-	-	C1	-	
		305/30R19	102	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	74	-	-	C1	-	
		325/30R19	105	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	73	-	-	C1	-	
40	**20**	245/40R20	99	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	70	-	-	C1	-	
		255/40R20	101	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	71	-	-	C1	-	
35		255/35R20	97	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	71	-	-	C1	-	
		265/35R20	99	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	71	-	-	C1	-	
		285/35R20	104	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	74	-	-	C1	-	
		295/35R20	105	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	74	-	-	C1	-	
30		275/30R20	97	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	71	-	-	C1	-	
		285/30R20	99	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	74	-	-	C1	-	
		295/30R20	101	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	74	-	-	C1	-	
		305/30R20	103	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	74	-	-	C1	-	
		335/30R20	108	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	75	-	-	C1	-	
	21	305/30R21	104	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	73	-	-	C1	-	
		325/30R21	108	W	XL/RF	ADVAN NEOVA AD09	RPB		D	A	B	73	-	-	C1	-	
ADVAN NEOVA AD08RS																	
50	**15**	195/50R15	82	V		ADVAN NEOVA AD08RS	RPB		D	B	B	70	-	-	C1	-	
45	**16**	225/45R16	89	W		ADVAN NEOVA AD08RS	RPB		D	B	B	70	-	-	C1	-	
	17	215/45R17	87	W		ADVAN NEOVA AD08RS	RPB		D	B	B	70	-	-	C1	-	
40	**18**	225/40R18	88	W		ADVAN NEOVA AD08RS	RPB		D	B	B	70	-	-	C1	-	
35	**19**	225/35R19	88	W	XL/RF	ADVAN NEOVA AD08RS	RPB		D	B	B	70	-	-	C1	-	
		235/35R19	87	W		ADVAN NEOVA AD08RS	RPB		D	B	B	70	-	-	C1	-	
30		255/30R19	91	W	XL/RF	ADVAN NEOVA AD08RS	RPB		D	B	B	72	-	-	C1	-	

LI = Load Index Capacity **SS** = Speed Category Symbol **XL** = Extra Load **RF** = Reinforced **RPB** = Rim Protection Bar YOKOHAMA **OE** = Original Equipment

Category = C1: Passenger car tyres, C2: Light commercial vehicle tyres, C3: Heavy commercial vehicle tyres

M+S = Mud + Snow (Legal Classification may vary from country to country)

MO = Mercedes Original √ = Tyre bears this pictogram, symbol or mark - = Tyre does not bear this pictogram, symbol or mark

See page "Technical Information / For your Comfort & Safety" about how to read the tyre code, technical details and recommendations for safe driving.

For information about the start and end date of production of available tyres, information about the tyre type identifier and further technical aspects, please refer to the official product information sheet, which can be provided to you by your tyre dealer. A link to the public part of the European product database for Energy Labelling (EPREL), where you can access the product information sheet and the EU tyre label, is also provided via the YOKOHAMA website (www.yokohama.eu).

Errors and omissions excepted.

YOKOHAMA

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
BluEarth-GT AE51																	
65	15	195/65R15	91	V		BluEarth-GT AE51			B	A	B	71	-	-	C1	-	
60		195/60R15	88	V		BluEarth-GT AE51			C	A	B	71	-	-	C1	-	
65	16	215/65R16	98	H		BluEarth-GT AE51			B	A	B	71	-	-	C1	-	
60		205/60R16	96	W	XL/RF	BluEarth-GT AE51			B	A	B	71	-	-	C1	-	
		225/60R16	98	H		BluEarth-GT AE51			B	A	B	71	-	-	C1	-	
55		205/55R16	91	V		BluEarth-GT AE51			B	A	B	71	-	-	C1	-	
		215/55R16	97	W	XL/RF	BluEarth-GT AE51			B	A	B	71	-	-	C1	-	
		225/55R16	99	W	XL/RF	BluEarth-GT AE51			B	A	B	71	-	-	C1	-	
50		195/50R16	88	V	XL/RF	BluEarth-GT AE51	RPB		C	A	B	71	-	-	C1	-	
45		215/45R16	90	V	XL/RF	BluEarth-GT AE51	RPB		C	A	B	71	-	-	C1	-	
55	17	205/55R17	95	V	XL/RF	BluEarth-GT AE51			B	A	B	71	-	-	C1	-	
		215/55R17	94	V		BluEarth-GT AE51			C	C	A	67	-	-	C1	-	
		215/55R17	98	W	XL/RF	BluEarth-GT AE51			B	A	B	71	-	-	C1	-	
		225/55R17	101	W	XL/RF	BluEarth-GT AE51			B	A	B	71	-	-	C1	-	
		235/55R17	99	W		BluEarth-GT AE51			B	A	B	71	-	-	C1	-	
50		205/50R17	93	W	XL/RF	BluEarth-GT AE51	RPB		C	A	B	71	-	-	C1	-	
		215/50R17	95	W	XL/RF	BluEarth-GT AE51	RPB		B	A	B	71	-	-	C1	-	
		225/50R17	98	W	XL/RF	BluEarth-GT AE51	RPB		B	A	B	71	-	-	C1	-	
45		205/45R17	88	W	XL/RF	BluEarth-GT AE51	RPB		C	A	B	71	-	-	C1	-	
		215/45R17	91	W	XL/RF	BluEarth-GT AE51	RPB		C	A	B	71	-	-	C1	-	
		225/45R17	94	W	XL/RF	BluEarth-GT AE51	RPB		B	A	B	71	-	-	C1	-	
		235/45R17	97	W	XL/RF	BluEarth-GT AE51	RPB		B	A	B	71	-	-	C1	-	
50	18	225/50R18	95	W		BluEarth-GT AE51	RPB		B	A	B	71	-	-	C1	-	
		235/50R18	101	W	XL/RF	BluEarth-GT AE51	RPB		B	A	B	71	-	-	C1	-	
40		215/45R18	93	W	XL/RF	BluEarth-GT AE51	RPB		C	A	B	71	-	-	C1	-	
		225/45R18	95	W	XL/RF	BluEarth-GT AE51	RPB		B	A	B	71	-	-	C1	-	
		235/45R18	94	W		BluEarth-GT AE51	RPB		B	A	B	71	-	-	C1	-	
		245/45R18	100	W	XL/RF	BluEarth-GT AE51	RPB		B	A	B	71	-	-	C1	-	
		255/45R18	99	W		BluEarth-GT AE51	RPB		B	A	B	71	-	-	C1	-	
40		205/40R18	86	W	XL/RF	BluEarth-GT AE51	RPB		C	A	B	71	-	-	C1	-	
		215/40R18	89	W	XL/RF	BluEarth-GT AE51	RPB		C	A	B	71	-	-	C1	-	
		225/40R18	92	W	XL/RF	BluEarth-GT AE51	RPB		C	A	B	71	-	-	C1	-	
		235/40R18	95	W	XL/RF	BluEarth-GT AE51	RPB		C	A	B	71	-	-	C1	-	
		245/40R18	97	W	XL/RF	BluEarth-GT AE51	RPB		B	A	B	71	-	-	C1	-	
35		255/35R18	94	W	XL/RF	BluEarth-GT AE51	RPB		C	A	A	69	-	-	C1	-	
50	19	195/50R19	88	H		BluEarth-GT AE51	RPB		C	A	B	71	-	-	C1	-	
45		225/45R19	96	W	XL/RF	BluEarth-GT AE51	RPB		B	A	B	71	-	-	C1	-	
		235/45R19	95	W		BluEarth-GT AE51	RPB		C	A	B	71	-	-	C1	-	
		245/45R19	98	W		BluEarth-GT AE51	RPB		B	A	B	71	-	-	C1	-	
40		225/40R19	93	W	XL/RF	BluEarth-GT AE51	RPB		C	A	B	71	-	-	C1	-	
		235/40R19	96	W	XL/RF	BluEarth-GT AE51	RPB		B	A	B	71	-	-	C1	-	
		245/40R19	98	W	XL/RF	BluEarth-GT AE51	RPB		B	A	B	71	-	-	C1	-	
35		225/35R19	88	W	XL/RF	BluEarth-GT AE51	RPB		C	A	B	71	-	-	C1	-	
		235/35R19	91	W	XL/RF	BluEarth-GT AE51	RPB		C	A	B	71	-	-	C1	-	
		245/35R19	93	W	XL/RF	BluEarth-GT AE51	RPB		C	A	B	71	-	-	C1	-	
		255/35R19	96	W	XL/RF	BluEarth-GT AE51	RPB		B	A	A	69	-	-	C1	-	
		275/35R19	100	W	XL/RF	BluEarth-GT AE51	RPB		B	A	A	69	-	-	C1	-	
30		275/30R19	96	W	XL/RF	BluEarth-GT AE51	RPB		C	A	A	69	-	-	C1	-	
35	20	245/35R20	95	W	XL/RF	BluEarth-GT AE51	RPB		C	A	A	69	-	-	C1	-	
30		275/30R20	97	W	XL/RF	BluEarth-GT AE51	RPB		C	A	A	69	-	-	C1	-	
BluEarth-A AE50																	
60	16	185/60R16	86	H		BluEarth-A AE-50			C	C	B	68	-	-	C1	-	
45	17	185/45R17	78	H		BluEarth-A AE-50	RPB		D	C	B	68	-	-	C1	-	
40		205/40R17	80	H		BluEarth-A AE-50	RPB		D	C	A	67	-	-	C1	-	
		215/40R17	87	W	XL/RF	BluEarth-A AE-50	RPB		C	A	B	71	-	-	C1	-	
55	18	235/55R18	104	W	XL/RF	BluEarth-A AE-50			C	A	B	71	-	-	C1	-	

PASSENGER CAR
Summer

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
BluEarth-Es ES32																	
70	13	175/70R13	82	T		BluEarth-Es ES32			C	C	B	68	-	-	C1	-	
	14	165/70R14	81	T		BluEarth-Es ES32			C	C	B	68	-	-	C1	-	
		175/70R14	84	T		BluEarth-Es ES32			C	C	B	68	-	-	C1	-	
65		155/65R14	75	T		BluEarth-Es ES32			C	C	B	68	-	-	C1	-	
		165/65R14	79	T		BluEarth-Es ES32			C	C	B	68	-	-	C1	-	
		175/65R14	82	T		BluEarth-Es ES32			C	C	B	68	-	-	C1	-	
		185/65R14	86	T		BluEarth-Es ES32			C	C	B	68	-	-	C1	-	
60		185/60R14	82	H		BluEarth-Es ES32			C	C	B	68	-	-	C1	-	
65	15	175/65R15	84	H		BluEarth-Es ES32			C	C	B	68	-	-	C1	-	
		185/65R15	88	T		BluEarth-Es ES32			C	C	B	68	-	-	C1	-	
		185/65R15	88	H		BluEarth-Es ES32			C	C	B	68	-	-	C1	-	
		195/65R15	91	H		BluEarth-Es ES32			C	B	A	68	-	-	C1	-	
		195/65R15	95	V	XL/RF	BluEarth-Es ES32			C	B	A	68	-	-	C1	-	
		205/65R15	94	H		BluEarth-Es ES32			C	B	A	68	-	-	C1	-	
60		165/60R15	77	H		BluEarth-Es ES32			C	C	B	68	-	-	C1	-	
		185/60R15	84	H		BluEarth-Es ES32			C	C	B	68	-	-	C1	-	
		185/60R15	88	H	XL/RF	BluEarth-Es ES32			C	C	A	68	-	-	C1	-	
		195/60R15	88	H		BluEarth-Es ES32			C	B	A	68	-	-	C1	-	
55		175/55R15	77	V		BluEarth-Es ES32			C	C	B	68	-	-	C1	-	
		185/55R15	82	V		BluEarth-Es ES32			C	C	B	68	-	-	C1	-	
		195/55R15	85	V		BluEarth-Es ES32			C	B	A	68	-	-	C1	-	
50		195/50R15	82	V		BluEarth-Es ES32	RPB		C	B	A	68	-	-	C1	-	
60	16	175/60R16	82	H		BluEarth-Es ES32			C	C	B	68	-	-	C1	-	
		195/60R16	89	H		BluEarth-Es ES32			C	B	A	68	-	-	C1	-	
		205/60R16	92	H		BluEarth-Es ES32			C	B	A	68	-	-	C1	-	
		215/60R16	99	V	XL/RF	BluEarth-Es ES32			C	B	A	68	-	-	C1	-	
55		185/55R16	83	V		BluEarth-Es ES32			C	C	B	68	-	-	C1	-	
		185/55R16	83	V		BluEarth-Es ES32			A	B	A	67	-	-	C1	-	**New**
		195/55R16	87	V		BluEarth-Es ES32			C	B	A	68	-	-	C1	-	
		205/55R16	91	V		BluEarth-Es ES32			C	B	A	68	-	-	C1	-	
		215/55R16	97	V	XL/RF	BluEarth-Es ES32			C	B	A	68	-	-	C1	-	
	17	215/55R17	94	V		BluEarth-Es ES32			C	B	A	68	-	-	C1	-	
50		225/50R17	94	V		BluEarth-Es ES32	RPB		C	B	A	68	-	-	C1	-	
45		225/45R17	94	V	XL/RF	BluEarth-Es ES32	RPB		C	B	A	68	-	-	C1	-	
40	18	225/40R18	92	W	XL/RF	BluEarth-Es ES32	RPB		C	B	A	68	-	-	C1	-	
		235/40R18	95	W	XL/RF	BluEarth-Es ES32	RPB		C	B	A	68	-	-	C1	-	

LI = Load Index Capacity **SS** = Speed Category Symbol **XL** = Extra Load **RF** = Reinforced **RPB** = Rim Protection Bar YOKOHAMA **OE** = Original Equipment

Category = C1: Passenger car tyres, C2: Light commercial vehicle tyres, C3: Heavy commercial vehicle tyres

M+S = Mud + Snow (Legal Classification may vary from country to country)

√ = Tyre bears this pictogram, symbol or mark **-** = Tyre does not bear this pictogram, symbol or mark

See page "Technical Information / For your Comfort & Safety" about how to read the tyre code, technical details and recommendations for safe driving.

For information about the start and end date of production of available tyres, information about the tyre type identifier and further technical aspects, please refer to the official product information sheet, which can be provided to you by your tyre dealer. A link to the public part of the European product database for Energy Labelling (EPREL), where you can access the product information sheet and the EU tyre label, is also provided via the YOKOHAMA website (www.yokohama.eu).

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	Side	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
GEOLANDAR X-M/T G005 (POR Tyre)																		
	16	7.50R16C	116/114	N		GEOLANDAR X-MT G005	RPB	RBL		■	■	■	■	■	■	■	√	
HF	17	35X12.50R17	121	Q		GEOLANDAR X-MT G005	RPB	RBL		■	■	■	■	■	■	■	√	
		37X13.50R17	121	Q		GEOLANDAR X-MT G005	RPB	RBL		■	■	■	■	■	■	■	√	
		40X13.50R17	121	Q		GEOLANDAR X-MT G005	RPB	RBL		■	■	■	■	■	■	■	√	
	20	35X12.50R20	121	Q		GEOLANDAR X-MT G005	RPB	RBL		■	■	■	■	■	■	■	√	
GEOLANDAR M/T G003 (POR Tyre)																		
85	16	LT235/85R16	120/116	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
		205R16C	106/104	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
75		LT225/75R16	115/112	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
		LT225/75R16	103/100	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
		LT245/75R16	120/116	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
80	17	LT255/80R17	121/118	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
75		LT245/75R17	121/118	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
		LT255/75R17	111/108	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
		LT285/75R17	121/118	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
70		LT245/70R17	119/116	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
		LT265/70R17	121/118	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
		LT275/70R17	121/118	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
		LT285/70R17	121/118	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
		LT295/70R17	121/118	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
65		LT225/65R17	107/103	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
		LT265/65R17	120/117	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
55	20	LT275/55R20	120/117	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
		LT305/55R20	121/118	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
HF	17	33X12.50R17	120	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
	18	33X12.50R18	118	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
	20	33X12.50R20	114	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
		35X12.50R20	121	Q		GEOLANDAR M/T G003	RPB	RBL		■	■	■	■	■	■	■	√	
GEOLANDAR X-AT G016 (POR Tyre)																		
80	17	LT235/80R17	120/117	Q		GEOLANDAR X-AT G016	RPB	RBL		■	■	■	■	■	■	■	√	
70		LT265/70R17	121/118	Q		GEOLANDAR X-AT G016	RPB	RBL		■	■	■	■	■	■	■	√	
		LT305/70R17	121/118	Q		GEOLANDAR X-AT G016	RPB	RBL		■	■	■	■	■	■	■	√	
65		LT245/65R17	105/102	Q		GEOLANDAR X-AT G016	RPB	OWL		■	■	■	■	■	■	■	√	
		LT275/65R17	121/118	Q		GEOLANDAR X-AT G016	RPB	RBL		■	■	■	■	■	■	■	√	
		LT285/65R17	121/118	Q		GEOLANDAR X-AT G016	RPB	RBL		■	■	■	■	■	■	■	√	
60	18	LT255/60R18	117/114	Q		GEOLANDAR X-AT G016	RPB	RBL		■	■	■	■	■	■	■	√	
		LT265/60R18	119/116	Q		GEOLANDAR X-AT G016	RPB	RBL		■	■	■	■	■	■	■	√	
	20	LT265/60R20	121/118	Q		GEOLANDAR X-AT G016	RPB	RBL		■	■	■	■	■	■	■	√	
55		LT275/55R20	120/117	Q		GEOLANDAR X-AT G016	RPB	RBL		■	■	■	■	■	■	■	√	
		LT305/55R20	121/118	Q		GEOLANDAR X-AT G016	RPB	RBL		■	■	■	■	■	■	■	√	
50		LT285/50R20	119/116	Q		GEOLANDAR X-AT G016	RPB	RBL		■	■	■	■	■	■	■	√	
HF		33X12.50R20	114	Q		GEOLANDAR X-AT G016	RPB	RBL		■	■	■	■	■	■	■	√	
		35X12.50R20	121	Q		GEOLANDAR X-AT G016	RPB	RBL		■	■	■	■	■	■	■	√	
		35X13.50R20	121	Q		GEOLANDAR X-AT G016	RPB	RBL		■	■	■	■	■	■	■	√	
GEOLANDAR A/T G015																		
80	15	175/80R15	90	S		GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
		195/80R15	96	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
		215/80R15	102	S		GEOLANDAR A/T G015	RPB	OWL		E	C	B	70	√	-	C1	√	
		225/80R15	105	S		GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
75		LT235/75R15	104/101	S		GEOLANDAR A/T G015	RPB	OWL		E	C	B	73	√	-	C2	√	
		P235/75R15	108	T	XL/RF	GEOLANDAR A/T G015	RPB	OWL		E	C	B	70	√	-	C1	√	
		235/75R15	109	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
70		205/70R15	96	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
		215/70R15	98	H		GEOLANDAR A/T G015	RPB	OWL		E	C	B	70	√	-	C1	√	
		P225/70R15	100	T		GEOLANDAR A/T G015	RPB	OWL		E	C	B	70	√	-	C1	√	
		P235/70R15	102	T		GEOLANDAR A/T G015	RPB	OWL		E	C	B	70	√	-	C1	√	

4x4 / SUV
Summer

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	Side	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
70	15	265/70R15	112	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
HF		30X9.50R15	104	S		GEOLANDAR A/T G015	RPB	OWL		E	C	B	73	√	-	C2	√	
		31X10.50R15	109	S		GEOLANDAR A/T G015	RPB	OWL		E	C	B	73	√	-	C2	√	
		32X11.50R15	113	S		GEOLANDAR A/T G015	RPB	OWL		E	C	B	73	√	-	C2	√	
		33X12.50R15	108	S		GEOLANDAR A/T G015	RPB	OWL		E	C	B	73	√	-	C2	√	
80	16	175/80R16	91	S		GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
		205/80R16	104	T	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
		215/80R16	103	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
75		P245/75R16	109	T		GEOLANDAR A/T G015	RPB	OWL		E	C	B	70	√	-	C1	√	
		P265/75R16	114	T		GEOLANDAR A/T G015	RPB	OWL		E	C	B	72	√	-	C1	√	
70		215/70R16	100	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
		225/70R16	103	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
		P235/70R16	104	T		GEOLANDAR A/T G015	RPB	OWL		E	C	B	70	√	-	C1	√	
		235/70R16	106	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
		P245/70R16	106	T		GEOLANDAR A/T G015	RPB	OWL		E	C	B	70	√	-	C1	√	
		245/70R16	111	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
		P255/70R16	109	T		GEOLANDAR A/T G015	RPB	OWL		E	C	B	72	√	-	C1	√	
		255/70R16	111	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
		P265/70R16	111	T		GEOLANDAR A/T G015	RPB	OWL		E	C	B	72	√	-	C1	√	
		265/70R16	112	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
		275/70R16	114	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
65		215/65R16	98	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
		255/65R16	109	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
60		215/60R16	95	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	71	√	-	C1	√	
		235/60R16	100	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
75	17	P235/75R17	108	T		GEOLANDAR A/T G015	RPB	OWL		E	C	B	70	√	-	C1	√	
		P255/75R17	113	T		GEOLANDAR A/T G015	RPB	OWL		E	C	B	72	√	-	C1	√	
70		225/70R17	108	T	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
		235/70R17	109	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
		P245/70R17	108	T		GEOLANDAR A/T G015	RPB	OWL		E	C	B	70	√	-	C1	√	
		P255/70R17	110	T		GEOLANDAR A/T G015	RPB	OWL		E	C	B	72	√	-	C1	√	
		P265/70R17	113	T		GEOLANDAR A/T G015	RPB	OWL		E	C	B	72	√	-	C1	√	
		P285/70R17	117	T		GEOLANDAR A/T G015	RPB	OWL		E	C	A	71	√	-	C1	√	
		LT315/70R17	121/118	S		GEOLANDAR A/T G015	RPB	OWL		E	C	B	73	√	-	C2	√	
65		215/65R17	103	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
		225/65R17	102	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
		225/65R17	102	T		GEOLANDAR A/T G015	RPB	OWL		E	C	B	71	√	-	C1	√	
		235/65R17	108	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
		P245/65R17	105	T		GEOLANDAR A/T G015	RPB	OWL		E	C	B	70	√	-	C1	√	
		245/65R17	111	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	70	√	-	C1	√	
		255/65R17	114	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
		P265/65R17	110	T		GEOLANDAR A/T G015	RPB	OWL		E	C	B	72	√	-	C1	√	
		265/65R17	112	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
		275/65R17	115	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
		285/65R17	116	H		GEOLANDAR A/T G015	RPB	RBL		E	C	A	71	√	-	C1	√	
60		215/60R17	96	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	71	√	-	C1	√	
		225/60R17	99	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	71	√	-	C1	√	
		225/60R17	99	T		GEOLANDAR A/T G015	RPB	OWL		E	C	B	71	√	-	C1	√	

LI = Load Index Capacity **SS** = Speed Category Symbol **XL** = Extra Load **RF** = Reinforced **RPB** = Rim Protection Bar YOKOHAMA **OE** = Original Equipment

Category = C1: Passenger car tyres, C2: Light commercial vehicle tyres, C3: Heavy commercial vehicle tyres

M+S = Mud + Snow (Legal Classification may vary from country to country)

RBL = Raised Black Letter **OWL** = Outlined White Letter ■ = The EU Tyre Label and Category does not apply to POR (Professional Off-Road) marked tyres.

√ = Tyre bears this pictogram, symbol or mark - = Tyre does not bear this pictogram, symbol or mark

See page "Technical Information / For your Comfort & Safety" about how to read the tyre code, technical details and recommendations for safe driving.

For information about the start and end date of production of available tyres, information about the tyre type identifier and further technical aspects, please refer to the official product information sheet, which can be provided to you by your tyre dealer. A link to the public part of the European product database for Energy Labelling (EPREL), where you can access the product information sheet and the EU tyre label, is also provided via the YOKOHAMA website (www.yokohama.eu).

Errors and omissions excepted. YOKOHAMA

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	Side	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
GEOLANDAR A/T G015																		
70	18	255/70R18	113	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
		265/70R18	116	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
65		255/65R18	111	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	71	√	-	C1	√	
		265/65R18	114	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
		275/65R18	116	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
60		225/60R18	104	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	71	√	-	C1	√	
		235/60R18	107	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
		245/60R18	109	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	71	√	-	C1	√	
		265/60R18	110	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
		275/60R18	113	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
		285/60R18	116	H		GEOLANDAR A/T G015	RPB	RBL		E	C	A	71	√	-	C1	√	
55		225/55R18	98	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
		235/55R18	104	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
		255/55R18	109	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
50		225/50R18	95	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
55	19	235/55R19	105	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
		255/55R19	111	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
60	20	275/60R20	115	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
		LT325/60R20	121/118	S		GEOLANDAR A/T G015	RPB	RBL		E	C	B	73	√	-	C2	√	
55		255/55R20	110	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
		275/55R20	117	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
50		245/50R20	105	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
		255/50R20	109	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
		265/50R20	107	H		GEOLANDAR A/T G015	RPB	RBL		E	C	B	72	√	-	C1	√	
		275/50R20	113	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	B	73	√	-	C1	√	
		285/50R20	112	H		GEOLANDAR A/T G015	RPB	RBL		E	C	A	72	√	-	C1	√	
45	22	285/45R22	114	H	XL/RF	GEOLANDAR A/T G015	RPB	RBL		E	C	A	72	√	-	C1	√	New
GEOLANDAR A/T4 G018																		
70	15	255/70R15C	112/110	S		GEOLANDAR A/T4 G018	RPB	RBL		E	B	B	75	√	-	C2	√	New
85	16	LT215/85R16	115/112	R		GEOLANDAR A/T4 G018	RPB	RBL		E	B	B	75	√	-	C2	√	New
		LT235/85R16	120/116	S		GEOLANDAR A/T4 G018	RPB	RBL		E	B	B	75	√	-	C2	√	New
75		LT225/75R16	115/112	S		GEOLANDAR A/T4 G018	RPB	RBL		E	B	B	75	√	-	C2	√	New
		LT245/75R16	120/116	S		GEOLANDAR A/T4 G018	RPB	OWL		E	B	B	75	√	-	C2	√	New
70		LT245/70R16	118/115	R		GEOLANDAR A/T4 G018	RPB	RBL		E	B	B	75	√	-	C2	√	New
		LT265/70R16	121/118	S		GEOLANDAR A/T4 G018	RPB	OWL		E	B	B	75	√	-	C2	√	New
80	17	LT235/80R17	120/117	S		GEOLANDAR A/T4 G018	RPB	RBL		E	B	B	75	√	-	C2	√	New
		LT255/80R17	121/118	R		GEOLANDAR A/T4 G018	RPB	RBL		E	B	B	75	√	-	C2	√	New
75		LT245/75R17	121/118	S		GEOLANDAR A/T4 G018	RPB	OWL		E	B	B	75	√	-	C2	√	New
70		LT255/70R17	121/118	S		GEOLANDAR A/T4 G018	RPB	OWL		E	B	B	75	√	-	C2	√	New
65		LT225/65R17	107/103	S		GEOLANDAR A/T4 G018	RPB	RBL		E	B	B	75	√	-	C2	√	New
		LT245/65R17	111/108	S		GEOLANDAR A/T4 G018	RPB	RBL		E	B	B	75	√	-	C2	√	New
		LT255/65R17	119/116	S		GEOLANDAR A/T4 G018	RPB	RBL		E	B	B	75	√	-	C2	√	New
		LT265/65R17	120/117	S		GEOLANDAR A/T4 G018	RPB	OWL		E	B	B	75	√	-	C2	√	New
75	18	LT245/75R18	121/118	S		GEOLANDAR A/T4 G018	RPB	OWL		E	B	B	75	√	-	C2	√	New
70		LT255/70R18	117/114	S		GEOLANDAR A/T4 G018	RPB	RBL		E	B	B	75	√	-	C2	√	New
60		LT265/60R18	119/116	S		GEOLANDAR A/T4 G018	RPB	RBL		E	B	B	75	√	-	C2	√	New

Errors and omissions excepted.

4x4 / SUV
Summer

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	Side	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
GEOLANDAR H/T G056																		
70	17	225/70R17	108	T	XL/RF	GEOLANDAR H/T G056		RBL		D	D	B	70	-	-	C1	√	
		265/70R17	115	H		GEOLANDAR H/T G056		OWL		D	D	B	72	-	-	C1	√	
65		255/65R17	114	H	XL/RF	GEOLANDAR H/T G056				D	D	A	70	-	-	C1	√	
		265/65R17	112	H		GEOLANDAR H/T G056				D	D	B	70	-	-	C1	√	
		275/65R17	115	H		GEOLANDAR H/T G056		RBL		D	D	B	72	-	-	C1	√	
		285/65R17	116	H		GEOLANDAR H/T G056		RBL		D	D	B	72	-	-	C1	√	
	18	275/65R18	116	H		GEOLANDAR H/T G056		OWL		D	D	B	72	-	-	C1	√	
60		255/60R18	112	V	XL/RF	GEOLANDAR H/T G056		RBL		D	D	A	70	-	-	C1	√	
		P255/60R18	107	H		GEOLANDAR H/T G056		RBL		C	C	B	72	-	-	C1	√	
		275/60R18	113	H		GEOLANDAR H/T G056		RBL		D	D	B	72	-	-	C1	√	
		285/60R18	116	H		GEOLANDAR H/T G056		RBL		D	D	B	72	-	-	C1	√	
55	19	265/55R19	109	V		GEOLANDAR H/T G056		RBL		D	D	B	71	-	-	C1	√	
60	20	245/60R20	107	H		GEOLANDAR H/T G056		RBL		D	D	B	70	-	-	C1	√	
50		285/50R20	112	V		GEOLANDAR H/T G056		RBL		D	D	B	72	-	-	C1	√	
	21	275/50R21	113	V	XL/RF	GEOLANDAR H/T G056		RBL		D	D	B	71	-	-	C1	√	
GEOLANDAR X-CV G057																		
70	18	245/70R18	110	H		GEOLANDAR X-CV G057				B	C	B	69	-	-	C1	√	New
60	19	235/60R19	103	W		GEOLANDAR X-CV G057	RPB			D	B	B	71	-	-	C1	√	New
55		235/55R19	105	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		255/55R19	111	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		265/55R19	109	V		GEOLANDAR X-CV G057				B	B	A	69	-	-	C1	√	New
		275/55R19	111	W		GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
50		255/50R19	107	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		265/50R19	110	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		275/50R19	112	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
45		235/45R19	99	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
60	20	265/60R20	112	H		GEOLANDAR X-CV G057				B	C	B	72	-	-	C1	√	New
55		255/55R20	110	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
50		235/50R20	104	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		255/50R20	109	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		265/50R20	111	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		275/50R20	113	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
45		235/45R20	100	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		245/45R20	103	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		255/45R20	105	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		265/45R20	108	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		275/45R20	110	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		285/45R20	112	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	74	-	-	C1	√	
40		275/40R20	106	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		295/40R20	110	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	74	-	-	C1	√	
		305/40R20	112	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	75	-	-	C1	√	New

LI = Load Index Capacity **SS** = Speed Category Symbol **XL** = Extra Load **RF** = Reinforced **RPB** = Rim Protection Bar YOKOHAMA **OE** = Original Equipment

Category = C1: Passenger car tyres, C2: Light commercial vehicle tyres, C3: Heavy commercial vehicle tyres

M+S = Mud + Snow (Legal Classification may vary from country to country)

RBL = Raised Black Letter **OWL** = Outlined White Letter √ = Tyre bears this pictogram, symbol or mark **-** = Tyre does not bear this pictogram, symbol or mark

See page "Technical Information / For your Comfort & Safety" about how to read the tyre code, technical details and recommendations for safe driving.

For information about the start and end date of production of available tyres, information about the tyre type identifier and further technical aspects, please refer to the official product information sheet, which can be provided to you by your tyre dealer. A link to the public part of the European product database for Energy Labelling (EPREL), where you can access the product information sheet and the EU tyre label, is also provided via the YOKOHAMA website (www.yokohama.eu).

Errors and omissions excepted.

YOKOHAMA

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	Side	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
GEOLANDAR X-CV G057																		
50	21	235/50R21	101	W		GEOLANDAR X-CV G057	RPB			D	B	B	70	-	-	C1	√	New
		255/50R21	106	W		GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	New
45		245/45R21	104	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		265/45R21	104	W		GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		275/45R21	110	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		285/45R21	113	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	74	-	-	C1	√	
40		265/40R21	105	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		275/40R21	107	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		285/40R21	109	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	74	-	-	C1	√	
		295/40R21	111	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	74	-	-	C1	√	
		315/40R21	115	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	74	-	-	C1	√	
35		295/35R21	107	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	74	-	-	C1	√	
		315/35R21	111	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	74	-	-	C1	√	
50	22	265/50R22	112	V	XL/RF	GEOLANDAR X-CV G057				B	C	B	72	-	-	C1	√	
45		255/45R22	107	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	73	-	-	C1	√	New
40		265/40R22	106	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		275/40R22	108	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	72	-	-	C1	√	
		285/40R22	110	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	75	-	-	C1	√	New
35		265/35R22	102	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	73	-	-	C1	√	
		285/35R22	106	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	74	-	-	C1	√	
		315/35R22	111	W	XL/RF	GEOLANDAR X-CV G057	RPB			D	B	B	75	-	-	C1	√	New
GEOLANDAR CV G058																		
70	16	215/70R16	100	H		GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
65		215/65R16	98	H		GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
		225/65R16	100	H		GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
60		235/60R16	100	V		GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
65	17	225/65R17	102	H		GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
		245/65R17	107	H		GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
60		215/60R17	96	H		GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
		255/60R17	106	H		GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
65	18	225/65R18	103	H		GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
		255/65R18	111	H		GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
60		225/60R18	100	H		GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
		235/60R18	107	V	XL/RF	GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
		245/60R18	105	V		GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
		265/60R18	110	V		GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
55		215/55R18	99	V	XL/RF	GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
		225/55R18	98	V		GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
		255/55R18	109	V	XL/RF	GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
60	19	255/60R19	113	V	XL/RF	GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
55		225/55R19	99	V		GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
		235/55R19	105	V	XL/RF	GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
		245/55R19	103	V		GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
50		235/50R19	103	V	XL/RF	GEOLANDAR CV G058	RPB			D	B	B	71	-	-	C1	√	
		255/50R19	107	V	XL/RF	GEOLANDAR CV G058	RPB			D	B	B	71	-	-	C1	√	
55	20	235/55R20	102	V		GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
		255/55R20	110	V	XL/RF	GEOLANDAR CV G058				D	B	B	71	-	-	C1	√	
50		245/50R20	102	V		GEOLANDAR CV G058	RPB			D	B	B	71	-	-	C1	√	
		255/50R20	109	V	XL/RF	GEOLANDAR CV G058	RPB			D	B	B	71	-	-	C1	√	
		265/50R20	107	V		GEOLANDAR CV G058	RPB			D	B	B	71	-	-	C1	√	
PARADA Spec-X (PA02)																		
45	20	295/45R20	114	V	XL/RF	PARADA Spec-X	RPB			D	B	B	74	-	-	C1	√	
50	22	325/50R22	116	V	XL/RF	PARADA Spec-X	RPB			D	B	A	72	-	-	C1	√	
45		305/45R22	118	V	XL/RF	PARADA Spec-X	RPB			D	B	B	74	-	-	C1	√	
40		305/40R22	114	V	XL/RF	PARADA Spec-X	RPB			D	B	B	74	-	-	C1	√	
35		285/35R22	106	V	XL/RF	PARADA Spec-X	RPB			D	B	B	74	-	-	C1	√	
30		285/30R22	101	V	XL/RF	PARADA Spec-X	RPB			D	B	B	74	-	-	C1	√	

4x4 / SUV
Summer

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	Side	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
40	23	285/40R23	111	V	XL/RF	PARADA Spec-X	RPB			D	B	B	74	-	-	C1	√	
35		285/35R23	107	V	XL/RF	PARADA Spec-X	RPB			D	B	B	74	-	-	C1	√	
40	24	285/40R24	112	V	XL/RF	PARADA Spec-X	RPB			D	B	B	74	-	-	C1	√	
35		295/35R24	110	V	XL/RF	PARADA Spec-X	RPB			D	B	B	74	-	-	C1	√	
		305/35R24	112	V	XL/RF	PARADA Spec-X	RPB			D	B	B	74	-	-	C1	√	
		315/35R24	114	V	XL/RF	PARADA Spec-X	RPB			D	B	B	74	-	-	C1	√	
BluEarth-XT AE61																		
65	16	205/65R16	95	H		BluEarth-XT AE61				C	A	A	68	-	-	C1	-	
	17	215/65R17	99	V		BluEarth-XT AE61				C	A	A	68	-	-	C1	-	
		225/65R17	106	V	XL/RF	BluEarth-XT AE61				C	A	A	68	-	-	C1	-	
		235/65R17	108	V	XL/RF	BluEarth-XT AE61				C	A	A	68	-	-	C1	-	
60		215/60R17	96	H		BluEarth-XT AE61				C	A	A	68	-	-	C1	-	
		225/60R17	99	V		BluEarth-XT AE61				C	A	A	68	-	-	C1	-	
		235/60R17	102	V		BluEarth-XT AE61				C	A	A	68	-	-	C1	-	
55		225/55R17	97	W		BluEarth-XT AE61	RPB			C	A	A	68	-	-	C1	-	
		235/55R17	103	W	XL/RF	BluEarth-XT AE61	RPB			C	A	A	68	-	-	C1	-	
65	18	235/65R18	106	V		BluEarth-XT AE61				C	A	A	68	-	-	C1	-	
60		225/60R18	100	H		BluEarth-XT AE61				C	A	A	68	-	-	C1	-	
		225/60R18	100	V		BluEarth-XT AE61				C	A	A	68	-	-	C1	-	
		235/60R18	103	W		BluEarth-XT AE61				C	A	A	68	-	-	C1	-	
		235/60R18	103	H		BluEarth-XT AE61				B	C	B	69	-	-	C1	-	
		235/60R18	103	H		BluEarth-XT AE61 ZPS				B	C	B	69	-	-	C1	-	EMT
55		215/55R18	99	V	XL/RF	BluEarth-XT AE61	RPB			C	A	A	68	-	-	C1	-	
		225/55R18	98	V		BluEarth-XT AE61	RPB			C	A	A	68	-	-	C1	-	
		235/55R18	100	V		BluEarth-XT AE61	RPB			C	A	A	68	-	-	C1	-	
		215/50R18	92	V		BluEarth-XT AE61	RPB			C	A	A	68	-	-	C1	-	
50		225/50R18	99	V	XL/RF	BluEarth-XT AE61	RPB			C	A	A	68	-	-	C1	-	
		225/50RF18	95	V		BluEarth-XT AE61 ZPS	RPB			C	A	A	67	-	-	C1	-	
		235/50R18	97	V		BluEarth-XT AE61	RPB			C	A	A	68	-	-	C1	-	
55	19	225/55R19	99	V		BluEarth-XT AE61	RPB			C	A	A	68	-	-	C1	-	
		235/55R19	101	V		BluEarth-XT AE61	RPB			C	A	A	68	-	-	C1	-	
		235/55R19	105	V	XL/RF	BluEarth-XT AE61	RPB			C	A	A	68	-	-	C1	-	
50		235/50R19	103	V	XL/RF	BluEarth-XT AE61	RPB			C	B	A	68	-	-	C1	-	
		245/50R19	105	W	XL/RF	BluEarth-XT AE61	RPB			C	A	A	68	-	-	C1	-	
45		225/45R19	92	W		BluEarth-XT AE61	RPB			C	A	A	68	-	-	C1	-	
55	20	235/55R20	102	V		BluEarth-XT AE61	RPB			C	A	A	68	-	-	C1	-	
50		235/50R20	104	V	XL/RF	BluEarth-XT AE61	RPB			C	B	A	69	-	-	C1	-	
		235/50R20	100	V		BluEarth-XT AE61 ZPS	RPB			C	A	B	69	-	-	C1	-	
45		245/45R20	103	W	XL/RF	BluEarth-XT AE61	RPB			C	B	A	68	-	-	C1	-	
		255/45R20	105	W	XL/RF	BluEarth-XT AE61	RPB			C	A	A	68	-	-	C1	-	

LI = Load Index Capacity **SS** = Speed Category Symbol **XL** = Extra Load **RF** = Reinforced **RPB** = Rim Protection Bar YOKOHAMA **OE** = Original Equipment

Category = C1: Passenger car tyres, C2: Light commercial vehicle tyres, C3: Heavy commercial vehicle tyres

M+S = Mud + Snow (Legal Classification may vary from country to country)

EMT = Extended Mobility Tyre **ZPS** = Zero Pressure System (Runflat Tyre Characteristics)

√ = Tyre bears this pictogram, symbol or mark **-** = Tyre does not bear this pictogram, symbol or mark

See page "Technical Information / For your Comfort & Safety" about how to read the tyre code, technical details and recommendations for safe driving.

For information about the start and end date of production of available tyres, information about the tyre type identifier and further technical aspects, please refer to the official product information sheet, which can be provided to you by your tyre dealer. A link to the public part of the European product database for Energy Labelling (EPREL), where you can access the product information sheet and the EU tyre label, is also provided via the YOKOHAMA website (www.yokohama.eu).

Errors and omissions excepted. YOKOHAMA

PASSENGER CAR / SUV

All Season

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
GEOLANDAR CV 4S G061																	
70	17	265/70R17	115	T		GEOLANDAR CV 4S G061			C	C	B	71	√	-	C1	√	New
65	17	225/65R17	102	H		GEOLANDAR CV 4S G061			C	B	B	71	√	-	C1	√	
65	17	235/65R17	108	V	XL/RF	GEOLANDAR CV 4S G061			C	B	B	71	√	-	C1	√	
60	17	225/60R17	99	V		GEOLANDAR CV 4S G061			C	B	B	71	√	-	C1	√	
60	17	235/60R17	102	H		GEOLANDAR CV 4S G061			C	B	B	71	√	-	C1	√	
55	17	225/55R17	101	V	XL/RF	GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
55	17	235/55R17	103	V	XL/RF	GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
65	18	235/65R18	110	V	XL/RF	GEOLANDAR CV 4S G061			C	B	B	71	√	-	C1	√	
65	18	255/65R18	111	H		GEOLANDAR CV 4S G061			C	B	B	71	√	-	C1	√	
65	18	275/65R18	116	H	XL/RF	GEOLANDAR CV 4S G061	RPB		C	B	B	72	√	-	C1	√	New
60	18	225/60R18	104	V	XL/RF	GEOLANDAR CV 4S G061			C	B	B	71	√	-	C1	√	
60	18	235/60R18	107	V	XL/RF	GEOLANDAR CV 4S G061			C	B	B	71	√	-	C1	√	
60	18	245/60R18	105	V		GEOLANDAR CV 4S G061			C	B	B	71	√	-	C1	√	
60	18	265/60R18	110	V		GEOLANDAR CV 4S G061			C	B	B	71	√	-	C1	√	
55	18	215/55R18	99	V	XL/RF	GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
55	18	225/55R18	98	V		GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
55	18	235/55R18	100	V		GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
60	19	255/60R19	109	H		GEOLANDAR CV 4S G061			C	B	B	71	√	-	C1	√	
55	19	225/55R19	99	V		GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
55	19	235/55R19	105	V	XL/RF	GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
55	19	245/55R19	103	V		GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
55	19	275/55R19	111	V		GEOLANDAR CV 4S G061	RPB		C	B	B	73	√	-	C1	√	
50	19	235/50R19	103	V	XL/RF	GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
50	19	255/50R19	107	V	XL/RF	GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
45	19	265/50R19	110	V	XL/RF	GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
60	20	275/60R20	116	H	XL/RF	GEOLANDAR CV 4S G061	RPB		C	B	B	72	√	-	C1	√	New
55	20	235/55R20	102	V		GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
55	20	255/55R20	110	V	XL/RF	GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
55	20	275/55R20	117	V	XL/RF	GEOLANDAR CV 4S G061	RPB		C	B	B	72	√	-	C1	√	New
50	20	245/50R20	105	V	XL/RF	GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
50	20	255/50R20	109	V	XL/RF	GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
50	20	265/50R20	111	V	XL/RF	GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
45	20	245/45R20	103	V	XL/RF	GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
45	20	255/45R20	105	V	XL/RF	GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
45	20	265/45R20	108	V	XL/RF	GEOLANDAR CV 4S G061	RPB		C	B	B	71	√	-	C1	√	
BluEarth-4S AW21																	
65	14	175/65R14	82	T		BluEarth-4S AW21			D	C	B	70	√	-	C1	√	
60	14	185/60R14	82	H		BluEarth-4S AW21			D	C	B	70	√	-	C1	√	
65	15	175/65R15	84	H		BluEarth-4S AW21			D	C	B	70	√	-	C1	√	
65	15	175/65R15	88	H	XL/RF	BluEarth-4S AW21			D	C	B	71	√	-	C1	√	
65	15	185/65R15	88	H		BluEarth-4S AW21			D	C	B	70	√	-	C1	√	
65	15	185/65R15	92	V	XL/RF	BluEarth-4S AW21			D	C	B	70	√	-	C1	√	
65	15	195/65R15	91	H		BluEarth-4S AW21			D	B	B	70	√	-	C1	√	
60	15	185/60R15	88	H	XL/RF	BluEarth-4S AW21			D	C	B	70	√	-	C1	√	
60	15	195/60R15	88	H		BluEarth-4S AW21			D	B	B	72	√	-	C1	√	
60	15	195/60R15	92	V	XL/RF	BluEarth-4S AW21			D	B	B	72	√	-	C1	√	
55	15	185/55R15	86	H	XL/RF	BluEarth-4S AW21			D	C	B	71	√	-	C1	√	

PASSENGER CAR / SUV

All Season

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
55	15	195/55R15	89	V	XL/RF	BluEarth-4S AW21			D	B	B	72	√	-	C1	√	
50	15	195/50R15	82	H		BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
70	16	215/70R16	100	H		BluEarth-4S AW21			D	B	B	72	√	-	C1	√	
65	16	205/65R16	95	H		BluEarth-4S AW21			D	B	B	72	√	-	C1	√	New
65	16	215/65R16	98	H		BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
60	16	205/60R16	96	H	XL/RF	BluEarth-4S AW21			D	B	B	72	√	-	C1	√	
60	16	205/60R16	96	V	XL/RF	BluEarth-4S AW21			D	B	B	72	√	-	C1	√	
60	16	215/60R16	99	H	XL/RF	BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
60	16	215/60R16	99	V	XL/RF	BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
60	16	235/60R16	100	H		BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
55	16	185/55R16	87	V	XL/RF	BluEarth-4S AW21	RPB		D	C	B	71	√	-	C1	√	New
55	16	195/55R16	87	H		BluEarth-4S AW21			D	B	B	72	√	-	C1	√	
55	16	195/55R16	91	V	XL/RF	BluEarth-4S AW21			D	B	B	72	√	-	C1	√	New
55	16	205/55R16	91	V		BluEarth-4S AW21			D	B	B	72	√	-	C1	√	
55	16	205/55R16	94	V	XL/RF	BluEarth-4S AW21			D	B	B	72	√	-	C1	√	
55	16	215/55R16	97	V	XL/RF	BluEarth-4S AW21			D	B	B	72	√	-	C1	√	
55	16	225/55R16	99	V	XL/RF	BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
45	16	195/45R16	84	V	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
45	16	215/45R16	90	V	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
65	17	215/65R17	99	V		BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
65	17	215/65R17	103	V	XL/RF	BluEarth-4S AW21	RPB		C	B	B	72	√	-	C1	√	New
65	17	225/65R17	106	V	XL/RF	BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
65	17	235/65R17	108	W	XL/RF	BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
60	17	195/60R17	90	H		BluEarth-4S AW21			D	B	B	72	√	-	C1	√	New
60	17	215/60R17	100	V	XL/RF	BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
60	17	225/60R17	103	V	XL/RF	BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
60	17	235/60R17	106	V	XL/RF	BluEarth-4S AW21			C	B	B	72	√	-	C1	√	New
55	17	205/55R17	95	V	XL/RF	BluEarth-4S AW21			D	B	B	72	√	-	C1	√	
55	17	215/55R17	98	W	XL/RF	BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
55	17	225/55R17	101	W	XL/RF	BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
55	17	235/55R17	103	W	XL/RF	BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
50	17	205/50R17	93	V	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
50	17	215/50R17	95	W	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
50	17	225/50R17	98	V	XL/RF	BluEarth-4S AW21	RPB		C	B	B	72	√	-	C1	√	
45	17	205/45R17	88	W	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
45	17	215/45R17	91	W	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
45	17	225/45R17	94	V	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
45	17	225/45R17	94	W	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
45	17	235/45R17	97	Y	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
45	17	245/45R17	99	Y	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	New
60	18	225/60R18	104	V	XL/RF	BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
60	18	235/60R18	107	W	XL/RF	BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
60	18	255/60R18	112	V	XL/RF	BluEarth-4S AW21			C	B	B	73	√	-	C1	√	New
55	18	215/55R18	99	V	XL/RF	BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
55	18	225/55R18	98	V		BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
55	18	255/55R18	109	W	XL/RF	BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
50	18	215/50R18	92	V		BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
50	18	225/50R18	99	W	XL/RF	BluEarth-4S AW21	RPB		C	B	B	72	√	-	C1	√	

LI = Load Index Capacity **SS** = Speed Category Symbol **XL** = Extra Load **RF** = Reinforced **RPB** = Rim Protection Bar YOKOHAMA **OE** = Original Equipment

Category = C1: Passenger car tyres, C2: Light commercial vehicle tyres, C3: Heavy commercial vehicle tyres

M+S = Mud + Snow (Legal Classification may vary from country to country)

√ = Tyre bears this pictogram, symbol or mark **-** = Tyre does not bear this pictogram, symbol or mark

See page "Technical Information / For your Comfort & Safety" about how to read the tyre code, technical details and recommendations for safe driving.

For information about the start and end date of production of available tyres, information about the tyre type identifier and further technical aspects, please refer to the official product information sheet, which can be provided to you by your tyre dealer. A link to the public part of the European product database for Energy Labelling (EPREL), where you can access the product information sheet and the EU tyre label, is also provided via the YOKOHAMA website (www.yokohama.eu).

Errors and omissions excepted.

PASSENGER CAR / SUV

All Season

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
BluEarth-4S AW21																	
50		235/50R18	101	V	XL/RF	BluEarth-4S AW21	RPB		C	B	B	72	√	-	C1	√	
		245/50R18	100	W		BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	New
45		215/45R18	93	V	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	New
		225/45R18	95	Y	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
		235/45R18	98	Y	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
	18	245/45R18	100	Y	XL/RF	BluEarth-4S AW21	RPB		C	B	B	72	√	-	C1	√	
		255/45R18	103	Y	XL/RF	BluEarth-4S AW21	RPB		D	B	B	73	√	-	C1	√	New
40		225/40R18	92	W	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
		235/40R18	95	Y	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
		245/40R18	97	Y	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
		255/40R18	99	Y	XL/RF	BluEarth-4S AW21	RPB		D	B	B	73	√	-	C1	√	New
60		235/60R19	107	W	XL/RF	BluEarth-4S AW21	RPB		C	B	B	72	√	-	C1	√	New
55		225/55R19	99	V		BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
		235/55R19	105	W	XL/RF	BluEarth-4S AW21			C	B	B	72	√	-	C1	√	
		255/55R19	111	W	XL/RF	BluEarth-4S AW21			C	B	B	73	√	-	C1	√	
50		195/50R19	88	H		BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	New
		215/50R19	93	T		BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
		225/50R19	100	V	XL/RF	BluEarth-4S AW21	RPB		C	B	B	72	√	-	C1	√	New
		235/50R19	103	W	XL/RF	BluEarth-4S AW21	RPB		C	B	B	72	√	-	C1	√	New
		245/50R19	105	W	XL/RF	BluEarth-4S AW21	RPB		C	B	B	72	√	-	C1	√	New
		255/50R19	107	W	XL/RF	BluEarth-4S AW21	RPB		C	B	B	73	√	-	C1	√	
45	**19**	225/45R19	96	V	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
		235/45R19	99	W	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
		245/45R19	102	Y	XL/RF	BluEarth-4S AW21	RPB		C	B	B	72	√	-	C1	√	New
		255/45R19	104	Y	XL/RF	BluEarth-4S AW21	RPB		D	B	B	73	√	-	C1	√	New
40		235/40R19	96	Y	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	New
		245/40R19	98	Y	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
		275/40R19	105	Y	XL/RF	BluEarth-4S AW21	RPB		C	B	B	73	√	-	C1	√	New
35		225/35R19	88	W	XL/RF	BluEarth-4S AW21	RPB		D	B	B	71	√	-	C1	√	
		235/35R19	91	Y	XL/RF	BluEarth-4S AW21	RPB		D	B	B	71	√	-	C1	√	
		255/35R19	96	Y	XL/RF	BluEarth-4S AW21	RPB		D	B	B	73	√	-	C1	√	
		275/35R19	100	Y	XL/RF	BluEarth-4S AW21	RPB		D	B	B	73	√	-	C1	√	New
55		235/55R20	102	W		BluEarth-4S AW21			C	B	B	72	√	-	C1	√	New
		255/55R20	110	W	XL/RF	BluEarth-4S AW21	RPB		C	B	B	73	√	-	C1	√	New
50		235/50R20	104	W	XL/RF	BluEarth-4S AW21	RPB		C	B	B	72	√	-	C1	√	
		255/50R20	109	W	XL/RF	BluEarth-4S AW21	RPB		C	B	B	73	√	-	C1	√	New
45	**20**	215/45R20	95	T	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	
		235/45R20	100	W	XL/RF	BluEarth-4S AW21	RPB		D	B	B	72	√	-	C1	√	New
		255/45R20	105	W	XL/RF	BluEarth-4S AW21	RPB		C	B	B	73	√	-	C1	√	New
		265/45R20	108	Y	XL/RF	BluEarth-4S AW21	RPB		C	B	B	73	√	-	C1	√	New
		275/45R20	110	Y	XL/RF	BluEarth-4S AW21	RPB		C	B	B	73	√	-	C1	√	New
40		255/40R20	101	Y	XL/RF	BluEarth-4S AW21	RPB		D	B	B	73	√	-	C1	√	New
		275/40R20	106	W	XL/RF	BluEarth-4S AW21	RPB		C	B	B	73	√	-	C1	√	New
35		245/35R20	95	Y	XL/RF	BluEarth-4S AW21	RPB		D	B	B	71	√	-	C1	√	New
		255/35R20	97	Y	XL/RF	BluEarth-4S AW21	RPB		D	B	B	73	√	-	C1	√	New
45		275/45R21	110	W	XL/RF	BluEarth-4S AW21	RPB		C	B	B	73	√	-	C1	√	New
35	**21**	255/35R21	98	W	XL/RF	BluEarth-4S AW21	RPB		D	B	B	73	√	-	C1	√	New
		295/35R21	107	W	XL/RF	BluEarth-4S AW21	RPB		C	B	B	73	√	-	C1	√	
40	**22**	265/40R22	106	W	XL/RF	BluEarth-4S AW21	RPB		C	B	B	73	√	-	C1	√	New

VANS AND LIGHT COMMERCIAL VEHICLES

All Season

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
BluEarth-Van All Season RY61																	
70	**15**	195/70R15C	104/102	T		BluEarth-Van All Season RY61			D	B	B	73	√	-	C2	√	
		205/70R15C	106/104	R		BluEarth-Van All Season RY61			D	B	B	73	√	-	C2	√	
		215/70R15C	109/107	R		BluEarth-Van All Season RY61			C	B	B	73	√	-	C2	√	
		225/70R15C	112/110	R		BluEarth-Van All Season RY61			C	B	B	73	√	-	C2	√	
65		205/65R15C	102/100	T		BluEarth-Van All Season RY61			D	B	B	73	√	-	C2	√	
		215/65R15C	104/102	T		BluEarth-Van All Season RY61			D	B	B	73	√	-	C2	√	
75	**16**	185/75R16C	104/102	R		BluEarth-Van All Season RY61			D	B	B	73	√	-	C2	√	
		195/75R16C	110/108	R		BluEarth-Van All Season RY61			C	B	B	73	√	-	C2	√	
		205/75R16C	110/108	R		BluEarth-Van All Season RY61			C	B	B	73	√	-	C2	√	
		215/75R16C	116/114	R		BluEarth-Van All Season RY61			C	B	B	73	√	-	C2	√	
		225/75R16C	121/120	R		BluEarth-Van All Season RY61			C	B	B	73	√	-	C2	√	
65		195/65R16C	104/102	T		BluEarth-Van All Season RY61			D	B	B	73	√	-	C2	√	
		205/65R16C	107/105	T		BluEarth-Van All Season RY61			D	B	B	73	√	-	C2	√	
		215/65R16C	109/107	T		BluEarth-Van All Season RY61			C	B	B	73	√	-	C2	√	
		225/65R16C	112/110	R		BluEarth-Van All Season RY61			C	B	B	73	√	-	C2	√	
		235/65R16C	115/113	R		BluEarth-Van All Season RY61			C	B	B	73	√	-	C2	√	
		235/65R16C	121/119	R		BluEarth-Van All Season RY61			C	B	B	73	√	-	C2	√	
60		195/60R16C	99/97	H		BluEarth-Van All Season RY61			D	B	B	73	√	-	C2	√	
		215/60R16C	103/101	T		BluEarth-Van All Season RY61			D	B	B	73	√	-	C2	√	
55	**17**	215/60R17C	109/107	T		BluEarth-Van All Season RY61			C	B	B	73	√	-	C2	√	
		225/55R17C	104/102	H		BluEarth-Van All Season RY61	RPB		D	B	B	73	√	-	C2	√	
		225/55R17C	109/107	H		BluEarth-Van All Season RY61			C	B	B	73	√	-	C2	√	

LI = Load Index Capacity **SS** = Speed Category Symbol **XL** = Extra Load **RF** = Reinforced **RPB** = Rim Protection Bar YOKOHAMA **OE** = Original Equipment

Category = C1: Passenger car tyres, C2: Light commercial vehicle tyres, C3: Heavy commercial vehicle tyres

M+S = Mud + Snow (Legal Classification may vary from country to country)

√ = Tyre bears this pictogram, symbol or mark **-** = Tyre does not bear this pictogram, symbol or mark

See page "Technical Information / For your Comfort & Safety" about how to read the tyre code, technical details and recommendations for safe driving.

For information about the start and end date of production of available tyres, information about the tyre type identifier and further technical aspects, please refer to the official product information sheet, which can be provided to you by your tyre dealer. A link to the public part of the European product database for Energy Labelling (EPREL), where you can access the product information sheet and the EU tyre label, is also provided via the YOKOHAMA website (www.yokohama.eu).

VANS AND LIGHT COMMERCIAL VEHICLES

Summer

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
BluEarth-Van RY55																	
70	15	195/70R15C	104/102	S		BluEarth-Van RY55			C	B	B	71	-	-	C2	-	
		205/70R15C	106/104	S		BluEarth-Van RY55			C	B	B	71	-	-	C2	-	
		215/70R15C	109/107	S		BluEarth-Van RY55			C	B	B	71	-	-	C2	-	
		225/70R15C	112/110	S		BluEarth-Van RY55			C	B	B	71	-	-	C2	-	
65		215/65R15C	104/102	T		BluEarth-Van RY55			C	B	B	71	-	-	C2	-	
75	16	185/75R16C	104/102	S		BluEarth-Van RY55			C	B	B	71	-	-	C2	-	
		195/75R16C	110/108	T		BluEarth-Van RY55			C	B	B	71	-	-	C2	-	
		205/75R16C	113/111	R		BluEarth-Van RY55			C	B	B	71	-	-	C2	-	
		215/75R16C	116/114	R		BluEarth-Van RY55			C	B	B	71	-	-	C2	-	
		225/75R16C	121/120	R		BluEarth-Van RY55			C	B	B	71	-	-	C2	-	
65		195/65R16C	104/102	T		BluEarth-Van RY55			C	B	B	71	-	-	C2	-	
		205/65R16C	107/105	T		BluEarth-Van RY55			C	B	B	71	-	-	C2	-	
		215/65R16C	109/107	T		BluEarth-Van RY55			C	B	B	71	-	-	C2	-	
		225/65R16C	112/110	T		BluEarth-Van RY55			C	B	B	71	-	-	C2	-	
		235/65R16C	115/113	R		BluEarth-Van RY55			C	B	B	71	-	-	C2	-	
		235/65R16C	121/119	R		BluEarth-Van RY55			C	B	B	71	-	-	C2	-	
60		195/60R16C	99/97	H		BluEarth-Van RY55			C	B	B	72	-	-	C2	-	
		215/60R16C	103/101	T		BluEarth-Van RY55			C	B	B	72	-	-	C2	-	
	17	215/60R17C	109/107	T		BluEarth-Van RY55			C	B	B	72	-	-	C2	-	
		235/60R17C	109/107	T		BluEarth-Van RY55			C	B	B	71	-	-	C2	-	
55		225/55R17C	109/107	H		BluEarth-Van RY55			C	B	B	72	-	-	C2	-	

CLASSIC CAR TYRES

Summer

Series	Inch	Tyre size designation	LI	SS	XL RF	Pattern	RPB	OE	See section "EU Tyre Label" for detailed information on the tyre labeling icons.						Category	M+S	Comments
YOKOHAMA A539																	
60	12	165/60R12	71	H		YOKOHAMA A539			D	C	B	69	-	-	C1	-	
	13	175/60R13	77	H		YOKOHAMA A539			D	C	B	69	-	-	C1	-	
		185/60R13	80	H		YOKOHAMA A539			D	C	B	69	-	-	C1	-	
50		175/50R13	72	V		YOKOHAMA A539	RPB		D	C	B	69	-	-	C1	-	
GT SPECIAL CLASSIC Y350																	
80	10	145/80R10	69	S		GT SPECIAL CLASSIC Y350			◆	◆	◆	◆	◆	◆	◆	-	
	15	165/80R15	87	H		GT SPECIAL CLASSIC Y350			D	D	A	67	-	-	C1	-	
YOKOHAMA A-008P																	
55	16	205/55ZR16	91	W		YOKOHAMA A008P		N0	D	B	B	70	-	-	C1	-	
45		245/45ZR16	94	W		YOKOHAMA A008P		N0	D	B	B	70	-	-	C1	-	

LI = Load Index Capacity **SS** = Speed Category Symbol **XL** = Extra Load **RF** = Reinforced **RPB** = Rim Protection Bar YOKOHAMA **OE** = Original Equipment

Category = C1: Passenger car tyres, C2: Light commercial vehicle tyres, C3: Heavy commercial vehicle tyres

M+S = Mud + Snow (Legal Classification may vary from country to country)

N0 = Porsche specification ◆ = The EU Tyre Label and Category does not apply to this size

√ = Tyre bears this pictogram, symbol or mark - = Tyre does not bear this pictogram, symbol or mark

See page “Technical Information / For your Comfort & Safety” about how to read the tyre code, technical details and recommendations for safe driving.

For information about the start and end date of production of available tyres, information about the tyre type identifier and further technical aspects, please refer to the official product information sheet, which can be provided to you by your tyre dealer. A link to the public part of the European product database for Energy Labelling (EPREL), where you can access the product information sheet and the EU tyre label, is also provided via the YOKOHAMA website (www.yokohama.eu).